

Brother Tankbenefit Compact 3-in-1 Ink Tank Printer DCP-T580DW

Brand : Brother

Product code: DCP-T583DW

Product name : Tankbenefit Compact 3-in-1 Ink Tank Printer DCP-T580DW

- Print up to 16 images per minute (ISO/IEC 24734)
- Automatic 2-Sided print
- 1 Line LCD control panel
- 5GHz WiFi and USB
- 150 Sheet paper input tray, manual feed slot
- Comes with 7,500 black, 5,000 colour page yield ink bottles

DCP-T583DW tankbenefit 3-in-1 wireless ink tank printer. Print more in colour with easy to fill ink tanks and low colour printing costs.

Brother Tankbenefit Compact 3-in-1 Ink Tank Printer DCP-T580DW. Print technology: Inkjet, Printing: Colour printing, Maximum resolution: 1200 x 6000 DPI, Print speed (colour, normal quality, A4/US Letter): 7 ppm. Copying: Colour copying, Maximum copy resolution: 1200 x 1800 DPI. Scanning: Colour scanning, Optical scanning resolution: 1200 x 2400 DPI. Duplex functions: Print. Maximum ISO A-series paper size: A4. Wi-Fi. Direct printing. Product colour: White



Printing		Paper handling	
Duplex printing mode	Auto	Envelopes sizes	C5, Com-10, Monarch
Print technology *	Inkjet	Paper tray media weight	64 - 300 g/m ²
Printing *	Colour printing	Ports & interfaces	
Duplex printing *	✓	Direct printing *	✓
Maximum resolution *	1200 x 6000 DPI	USB port	✓
Print speed (black, normal quality, A4/US Letter) *	16 ppm	USB 2.0 ports quantity	1
Print speed (colour, normal quality, A4/US Letter)	7 ppm	Network	
Print speed (ISO/IEC 24734) mono	16 ipm	Wi-Fi *	✓
Print speed (ISO/IEC 24734) colour	7 ipm	Ethernet LAN *	✗
Time to first page (black, normal)	6.2 s	Wi-Fi standards	802.11a, 802.11b, 802.11g, Wi-Fi 4 (802.11n)
Time to first page (colour, normal)	9.6 s	Wi-Fi Direct	✓
N-in-1 print function	✓	Security algorithms	64-bit WEP, 128-bit WEP, WPA-AES, WPA-PSK, WPA-TKIP, WPA2-AES, WPA2-PSK, WPA2-TKIP, WPA3-SAE
N-up printing	16	Supported network protocols (IPv4)	ARP, RARP, BOOTP, DHCP, APIPA (Auto IP), WINS/NetBIOS name resolution, DNS Resolver, mDNS, LLMNR responder, LPR/LPD, Custom Raw Port/ Port9100, IPP, SNMPv1/v2c, TFTP server, ICMP, Web Services (Print/Scan), SNMP Client, HTTP Server
Watermark printing	✓	Supported network protocols (IPv6)	NDP, RA, mDNS, LLMNR Responder, DNS Resolver, LPR/LPD, Custom Raw Port/ Port9100, IPP, SNMPv1/v2c, TFTP server, Web Services (Print/Scan), SNMP Client, ICMPv6, HTTP Server
Booklet printing function	✓	Mobile printing technologies	Apple AirPrint, Brother Mobile Connect, Mopria Print Service
Poster printing function	✓	Performance	
Borderless printing	✓	Internal memory *	128 MB
Copying		Sound pressure level (printing)	56 dB
Copying *	Colour copying	Design	
Maximum copy resolution *	1200 x 1800 DPI	Product colour *	White
Time to first copy (black, normal)	13 s	Market positioning *	Home & office
Time to first copy (colour, normal)	28.5 s	Built-in display *	✓
Maximum number of copies	99 copies	Display	LCD
Copier resize	25 - 400%		
N-in-1 copy function	✓		
N-in-1 copy function (N=)	2		
ID-card copy function	✓		
Scanning			
Scanning *	Colour scanning		
Optical scanning resolution *	1200 x 2400 DPI		
Scan technology	CIS		
Scan to	E-mail, File, Image		
Image formats supported	JPEG, TIFF		
Document formats supported	PDF		

Scanning		Power	
Input colour depth	30 bit	Power consumption (copying)	16 W
Output colour depth	24 bit	Power consumption (ready)	2.5 W
Input greyscale depth	10 bit	Power consumption (sleep)	0.6 W
Output greyscale depth	8 bit	Power consumption (off)	0.15 W
Scan drivers	TWAIN, WIA	AC input voltage	220 - 240 V
Fax		AC input frequency	50/60 Hz
Faxing *	✗	System requirements	
Features		Windows operating systems supported	Windows 11
Recommended duty cycle	1 - 1000 pages per month	Mac operating systems supported	✓
Duplex functions *	Print	Other operating systems supported	ChromeOS
Number of print cartridges *	4	Operational conditions	
Printing colours *	Black, Cyan, Magenta, Yellow	Operating relative humidity (H-H)	20 - 80%
Input & output capacity		Storage temperature (T-T)	0 - 40 °C
Total number of input trays *	1	Operating temperature (T-T)	10 - 35 °C
Total input capacity *	150 sheets	Storage relative humidity (H-H)	20 - 80%
Total output capacity *	50 sheets	Weight & dimensions	
Manual feeder	✓	Width	390 mm
Paper handling		Depth	343 mm
Maximum ISO A-series paper size *	A4	Height	149 mm
Paper tray media types *	Envelopes, Glossy paper, Photo paper, Plain paper, Recycled paper	Weight	6.5 kg
ISO A-series sizes (A0...A9) *	A4, A5, A6	Packaging data	
Non-ISO print media sizes	Folio, Index card, Legal, Letter	Package width	461 mm
		Package depth	218 mm
		Package height	501 mm
		Package weight	7.9 kg
		Packaging content	
		Cartridge(s) included	✓
		Included cartridge capacity (black)	7500 pages
		Included cartridge capacity (CMY)	5000 pages
		Cables included	AC
		Other features	
		Spare part retention	5 year(s)



4977766841764



4977766841771

Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.