

GIGABYTE H410M S2H V2 Motherboard - Supports Intel Core 10th CPUs, up to 2933MHz DDR4 (OC), 1xPCIe 3.0 M.2, GbE LAN, USB 3.2 Gen 1

Brand : GIGABYTE

Product code: H410M S2H V2

Product name : H410M S2H V2 Motherboard - Supports Intel Core 10th CPUs, up to 2933MHz DDR4 (OC), 1xPCIe 3.0 M.2, GbE LAN, USB 3.2 Gen 1

- Supports 10th Gen Intel® Core™ Processors
 - Dual Channel Non-ECC Unbuffered DDR4, 2 DIMMs
 - 8-Channel HD Audio with High Quality Audio Capacitors
 - Ultra-Fast M.2 with PCIe Gen3 X4 & SATA Interface
 - GIGABYTE Gaming GbE LAN with Bandwidth Management
 - HDMI /DVI-D/D-Sub Ports for Multiple Display
 - Smart Fan 5 features Multiple Temperature Sensors and Hybrid Fan Headers with FAN STOP
 - GIGABYTE APP Center, Simple and Easy Use
 - Anti-Sulfur Resistors Design
- GbE LAN, PCIe Gen3 x4 M.2, HDMI / DVI-D/ D-Sub Ports for Multiple Display, Anti-Sulfur Resistor, Smart Fan 5


GIGABYTE H410M S2H V2 Motherboard - Supports Intel Core 10th CPUs, up to 2933MHz DDR4 (OC), 1xPCIe 3.0 M.2, GbE LAN, USB 3.2 Gen 1:

Elevate your computing experience with GIGABYTE's renowned motherboard series: AORUS, AERO, and GIGABYTE. Featuring innovative designs and advanced features, these boards offer exceptional performance and reliability. Whether you're a gamer, content creator, or professional, our series cater to your needs, ensuring uncompromising quality and cutting-edge technology.



Processor		Rear panel I/O ports	
Processor manufacturer *	Intel	VGA (D-Sub) ports quantity *	1
Processor socket *	LGA 1200 (Socket H5)	HDMI ports quantity *	1
Compatible processor series *	Intel® Core™ i3, Intel® Core™ i5, Intel® Core™ i7, Intel® Core™ i9	DVI-D ports quantity *	1
Supported processor sockets	LGA 1200 (Socket H5)	Network	
Maximum internal memory supported by processor	64 GB	Ethernet LAN	✓
Memory		Ethernet interface type	Gigabit Ethernet
Supported memory types *	DDR4-SDRAM	Wi-Fi *	✗
Number of memory slots *	2	Bluetooth	✗
Memory slots type	DIMM	Features	
Memory channels	Dual-channel	Motherboard chipset *	Intel H470 Express
ECC compatibility	ECC & Non-ECC	Audio output channels *	7.1 channels
Supported memory clock speeds	2133,2400,2666,2933 MHz	Product colour	Brown
Supported memory clock speed (max)	2933 MHz	Component for *	PC
Maximum internal memory *	64 GB	Motherboard form factor *	micro ATX
Supported memory module capacities	1GB, 2GB, 4GB, 8GB, 12GB, 16GB, 32GB	Motherboard chipset family *	Intel
Unbuffered memory	✓	Power source type	ATX
Storage controllers		Expansion slots	
Supported storage drive types	HDD & SSD	PCI Express x1 slots	2
Supported storage drive interfaces *	M.2, PCI Express 3.0, SATA III, USB 3.2 Gen 1 (3.1 Gen 1)	PCI Express x16 (Gen 3.x) slots	1
Number of HDDs supported	4	Number of M.2 (M) slots	1
Number of storage drives supported	5	BIOS	
RAID support	✓	BIOS type *	UEFI
RAID levels	0, 1, 5, 10	BIOS memory size	256 Mbit
Graphics		ACPI version	5.0
DirectX version	12.0	Clear CMOS jumper	✓
		Desktop Management Interface (DMI) version	2.7

Internal I/O		BIOS	
USB 2.0 connectors *	1	System Management BIOS (SMBIOS) version	2.7
USB 3.2 Gen 1 (3.1 Gen 1) connectors *	1	Logistics data	
Number of SATA III connectors *	4	Country of origin	China
Total number of SATA connectors	4	Products per shipping (inner) case	1 pc(s)
Audio connector	✓	Battery	
Front panel audio connector	✓	Battery weight	3 g
Front panel connector	✓	Lithium weight per battery	0.07 g
ATX Power connector (24-pin)	✓	Number of battery cells	1
Power fan connector	✓	Battery technology	Lithium-Manganese Dioxide (LiMnO2)
CPU fan connector	✓	Battery type	CR2032
EPS power connector (8-pin)	✓	Packaging data	
Serial port headers	1	Package width	265 mm
12V power connector	✓	Package depth	235 mm
Rear panel I/O ports		Package height	52 mm
USB 2.0 ports quantity *	4	Package weight	764 g
USB 3.2 Gen 1 (3.1 Gen 1) Type-A ports quantity *	2	Weight & dimensions	
Ethernet LAN (RJ-45) ports *	1	Width	185 mm
PS/2 ports quantity	2	Depth	226 mm
		Height	35 mm
		Packaging content	
		Batteries included	✓
		Bundled software	Norton Internet Security (OEM version) cFosSpeed
		Technical details	
		Warranty period	3 year(s)



4719331815370

Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.