

## LG 29MN33D-PZ TV 73,7 cm (29") HD Black 250 cd/m<sup>2</sup>

Brand : LG

Product code: 29MN33D-PZ

Product name : 29MN33D-PZ

LG 29MN33D-PZ. Display diagonal: 73,7 cm (29"), Display resolution: 1366 x 768 pixels, HD type: HD, Display technology: LED, Screen shape: Flat, Display brightness: 250 cd/m<sup>2</sup>, Response time: 9,5 ms, Native aspect ratio: 16:9. Product colour: Black





Display diagonal*73,7 cm (29")Image formats supportedJPGHD type*HDPorts & interfacesDisplay technology*EDHDCPScreen shape*FlatHDCPNative aspect ratio*16.9DVI portXSupported video modes576, 720pDVI portXSypported graphics resolutions1280 x 720 (HD 720), 1366 x 768Component video (YPbPr/YCbCr) in1Display brightness*9.5 msCAUdio inAResponse time9.5 msCANT ports quantity11Contrast ratio (dynamic)500000:1RF ports quantity11Viewing angle, horizontal178*Common interface Plus (Cl+)*XXDisplay brightness with the system1366 x 768 pixelsCommon interface Plus (Cl+)*XXDisplay resolution*1366 x 768 pixelsMalog common interface Plus (Cl+)*XXNalog signal format system*NTSC, PAL, SECAMCommon interface Plus (Cl+)*XXSmart TV*XSOn Screen Display (OSD)YNuther of speakers*10Auto power offAuto power offZZAuto volume leveller10Mith (with stand)69 mmZNutor of speakers*2Mith (with stand)5.9 kgMNutor offXMith (without stand)5.9 kgMNutor offXMith (without stand)5.9 kgMNutor offXMith (without stand)<				
HD type*HDPorts & interfacesDisplay technology*LEDHDCPScreen shape*FlatPC in (D-Sub)*Native aspect ratio*1680, 1080p, 480p, 576i, 576p, 720pDV portXellSupported video modes280 x720 (HD 720), 1366 x766Component video (YPbP/YCbCr) in1Display brightness*250 cd/m²Component video (YPbP/YCbCr) in1Display brightness*250 cd/m²Component video (YPbP/YCbCr) in1Contrast ratio (dynamic)500000:1RF ports quantity1Viewing angle, horizontal178°Common interface (DIs)*4Display brightness1686 x768 pixelsCommon interface Plus (CI+)*XeanceNewing angle, vertical178°Common interface Plus (CI+)*XeanceDisplay resolution*NTSC, PAL, SECAMPicture-in-Picture2Smart TVNalogSecrem Display (OSD)4Smart TV*XatoneAuto power off3Number of speakers*10Nitscr. Pal.2Number of speakers*10Wieft á dimensions23 minNuto volume levellerXWieft f út dividat dand)69 minWieft*XatonePicture intanaital23 minNumber of speakers*XWieft (with stand)69 minNuto volume levellerXWieft (with stand)69 minWieft*XWieft (with stand)69 minNuto volume levellerXWieft (with stand)69 minWieft* <t< td=""><td>Display</td><td></td><td>Performance</td><td></td></t<>	Display		Performance	
Dispay technology**LEDHOCPScreen shape*FlatHDCPNative aspect ratio*16:9PC in (D-Sub)*Supported video modes576p. 720pUSB 2.0 ports quantity*1Supported graphics resolutions1280 x 720 (HD 720), 1366 x 768Component video (PPbPr/YCbCr) in1Display brightness*250 cd/m*PC Audio inResponse time9.5 msSCART ports quantity1Contrast ratio (dynamic)500000:1RF ports quantity1Viewing angle, vertical178*Common interface Plus (Cl+)*XViewing angle, vertical1366 x 768 pixelsMoltor squantity*2Tur trype *AnalogMangement featuresXAnalog sing format system*NTSC, PAL, SECAMElectronic Programme Guide (EPG)XSmart TV*XAuto power offNumber of speakers*2Note with stand)669 mnAudio10 WWidth (with stand)669 mnNutor off speakers*10 WWidth (with stand)422 mnWieff**XWeight (with stand)59 kgNuto volume levellerXWeight (with stand)669 mnNetworkXWeight (with stand)669 mnNuto volume levellerXWeight (with stand)669 mnNuto volume levellerXWeight (with stand)659 kgNuto volume levellerXWeight (with stand)659 mnNuto volume leveller<		73,7 cm (29")	Image formats supported	JPG
Screen shape*FlatHDCP✓Native aspect ratio*16:9PC in (D-Sub)*✓Supported video modes16:9DVI portXSupported graphics resolutions1280 x 720 (HD 720), 1366 x 768Component video (YPbPr/YCbCr) in1Display brightness*250 cd/m²PC dudio in✓XResponse time9, 5m sSCART ports quantity11Contrast ratio (dynamic)500000:1RF ports quantity1XSolippal yesitoris178°Common interface Cl)*XXViewing angle, horizontal178°Common interface Plus (Cl)*XStandard Signal format system*NTSC, PAL, SECAMCommon interface Plus (Cl)*XSmart TV*XAulogOn Screen Display (OSD)XSmart TV*XAuto power offXXNumber of speakers*10 WSleep timerXXAudio10 WSleep timerXXAuto volume leveller10 WSleep timerXXWi-Fi*XWieft & dimension22 mmWi-Fi*XWieft (with stand)59 kgSemNetworkYWieft (with stand)59 kgSemNetworkXWieft (with stand)59 kgSemMutor to clourKMich (with stand)59 kgSemSmart TV*XMich (with stand)59 kgSemNumber of speakers*10 WMich (with stand)59 kgNetwo	HD type *		Ports & interfaces	
Native aspect ratio*16:9PC in (D-Sub)**Supported video modes10800, 1080p, 480i, 480p, 576i, 76p, 720pDV portXSupported graphics resolutions1280 X70 (HD 720), 1366 x 76Component video (YPAP/YCBC) in1Display brightness*250 cd/m²PC Audio in77Response time9.5 msSCART ports quantity11Contrast ratio (dynamic)500000:1RF ports quantity11Viewing angle, vertical178°Common interface (IL)*XXDisplay resolution*1366 x 768 pixelsCommon interface Plus (CI+)*XXNator Spring Signal format system*NalogCommon interface Plus (CI+)*XXSmart TVXElectronic Programme Guide (EPG)XXSmart TV*XAuto power off<			HDCP	1
Native spect ratio1051050, 480, 480p, 576i, 576p, 720DVI port×Supported video modes576p, 720USB 2.0 ports quantity *1Supported graphics resolutions1280 x 720 (HD 720), 1366 x 768Component video (YPbPr/YCbCr) in1Supported graphics resolutions1280 x 720 (HD 720), 1366 x 768Component video (YPbPr/YCbCr) in1Response time9,5 msSCART ports quantity1Contrast ratio (dynamic)500000:1RF ports quantity1Soppley brighty brighty, evricial178*Common interface (Cl) *×Viewing angle, horizontal178*Common interface (Pus (Cl+) *×Viewing angle, vertical1366 x 768 pixelsHDM ports quantity *2TV tunerNalogElectronic Programme Guide (EPG)×Smart TVXAnalogScene Display (OSD)Smart TV*XAuto power offNumber of speakers *2Seep timerAuto volume leveller </td <td>•</td> <td></td> <td>PC in (D-Sub) *</td> <td>1</td>	•		PC in (D-Sub) *	1
Supported video modes576p, 720pUSB 0.0 pyr. tool, toop, or one pointsSupported graphics resolutions1280 x 720 (HD 720), 1366 x 768Component video (YPbPr/YCbCr) in1Display brightness*250 cd/m²PC Audio inResponse time9.5 msSCART ports quantity1Contrast ratio (dynamic)5000000:1RF ports quantity1Viewing angle, horizontal178°Common interface (CI)*×Display resolution*1366 x 768 pixelsCommon interface (CI)*×Turer type*AnalogElectronic Programme Guide (EPG)×Analog signal format system*NTSC, PAL, SECAMOn Screen Display (OSD)Smart TV*× </td <td>Native aspect ratio *</td> <td></td> <td></td> <td></td>	Native aspect ratio *			
Supported graphics resolutions1280 x 720 (HD 720), 1366 x 768Component video (YPDPr/YCbCr) in1Display brightness*250 cd/m²PC Audio in·Response time9,5 msSCART ports quantity1Contrast ratio (dynamic)5000000:1RF ports quantity1Viewing angle, horizontal178°Common interface (CI) *×Viewing angle, vertical1366 x 768 pixelsCommon interface (CI) *×Display resolution *1366 x 768 pixelsManagement features×Tuner type *AnalogElectronic Programme Guide (EPG)×Smart TVXAuto power off×Smart TV *XAuto power off×Smart TV *XAuto power off×Number of speakers *2Sleep timer×Nutor off timer10 WWidt (with stand)669 mmAuto volume leveller×Widt (with stand)223 mmWiFI*XWeight (with stand)5.9 kgWiFI*XWeight (with stand)5.9 kgWiFI*XWeight (with stand)5.9 kgProduct colour *BlackWeight (without stand)65.8 mmProduct colour *BlackWeight (without stand)5.3 kgProduct colour *BlackWeight (without stand)5.3 kg	Supported video modes		•	
Display brightness*250 cd/m²PC Audio in	Supported graphics resolutions	1280 x 720 (HD 720), 1366 x 768	1 1 2	
Response time9,5 msSCART ports quantity1Contrast ratio (dynamic)500000:1RF ports quantity1Viewing angle, horizontal178°Common interface (CI)**Viewing angle, vertical1365 x 768 pixelsCommon interface Plus (CI+)**Display resolution*1365 x 768 pixelsManagement features*Tuner type*AnalogElectronic Programme Guide (EPG)*Analog signal format system*NTSC, PAL, SECAMElectronic Programme Guide (EPG)*Smart TV*XOn Screen Display (OSD)*Smart TV*XAuto power off*Number of speakers*2Selep timer*Number of speakers*10Selep timer*Number of speakers*10Selep timer*Number of speakers*2Selep timer23 anmNumber of speakers*2Selep timer23 anmNumber of speakers*2Selep timer stand)\$9 selep timerNumber of speakers*3Selep timer stand)\$9 selep timerNumber of speakers*Selep timer stand)\$9 selep timer stand)\$9 selep timer stand)Number of speakers*Selep timer stand)\$9 selep timer	Display brightness *	250 cd/m <sup>2</sup>	•	
Contrast ratio (dynamic)500000:1RF pots quantity1Viewing angle, horizontal178°Common interface (CI)*Viewing angle, vertical178°Common interface Plus (CI+)*XDisplay resolution*1366 x 768 pixelsHDMI ports quantity*2TV tunerManagement featuresXManagement featuresTuner type *AnalogElectronic Programme Guide (EPG)XSmart TVXCommon interface Plus (OI+)*ASmart TV*AnalogSigent Display (OSD)Smart TV*XOn Screen Display (OSD)Smart TV*XAuto power offSmart TV*XSeep timerSmart TV*10 WWeight & dimensionsNumber of speakers *2Vidt (with stand)669 mmNumber of speakers *0Vidt (with stand)223 mmNutor Viler FiXWieght (with stand)5.9 kgWi-Fi *XWieght (with stand)5.9 kgWi-Fi *XWidth (without stand)659 mmProduct colour *BlackWidth (without stand)65.8 mmVeSA mounting *IsacWeight (with stand)5.3 kgProduct colour *NacWeight (with stand)5.3 kg	Response time	9,5 ms		1
Viewing angle, vertical178° 1366 x 768 pixelsCommon interface (C)*Image: Common interface Plus (CI+)*Display resolution*1366 x 768 pixelsCommon interface Plus (CI+)*XTure type*Analog NTSC, PAL, SECAMManagement featuresImage: Common interface Plus (CI+)*XSmart TVAnalog NTSC, PAL, SECAMCommon interface Plus (CI+)*XImage: Common interface Plus (CI+)*XSmart TVAnalog Signart TV*XCommon interface Plus (CI+)*XImage: Common interface Plus (CI+)*XSmart TVAnalog Signart TV*XCommon interface Plus (CI+)*XImage: Common interface Plus (CI+)*XSmart TVAnalog Signart TV*XCommon interface Plus (CI+)*XImage: Common interface Plus (CI+)*XSmart TVAnalog Signart TV*Analog Norcen Display (OSD)XImage: Common interface Plus (CI+)*XImage: Common interface Plus (CI+)*XSmart TVXSignart TVImage: Common interface Plus (CI+)*XImage: Common interface Plus (CI+)*XImage: Common interface Plus (CI+)*XSmart TVXSignart TVImage: Common interface Plus (CI+)*XImage: Common interface Plus (CI+)*XImage: Common interface Plus (CI+)*XSmart TV*XXImage: Common interface Plus (CI+)*XImage: Common interface Plus (CI+)*XImage: Common interface Plus (CI+)*XAutionYYYYYYYYY <td>Contrast ratio (dynamic)</td> <td>5000000:1</td> <td></td> <td>1</td>	Contrast ratio (dynamic)	5000000:1		1
Display resolution *1366 x 768 pixelsCommon interface Plus (CI+) *XTV tuner2Tuner type *AnalogAnalog signal format system *NTSC, PAL, SECAMElectronic Programme Guide (EPG)XSmart TVXCommon interface Plus (CI+) *XSmart TV *NTSC, PAL, SECAMElectronic Programme Guide (EPG)XSmart TV *XCommon interface Plus (OSD)-Smart TV *XAuto power off-AudioXSleep timer-Number of speakers *2Sleep timer-Number of speakers *10 WSleep timer-Auto volume leveller-Width (with stand)669 mmNetworkYWidth (with stand)223 mmWi-Fi *XWeight (with stand)5,9 kgEthernet LAN *XWidth (with stand)669 mmDesignVidth (with stand)5,9 kgProduct colour *BlackWeight (with stand)65,8 mmVESA mounting *-Weight (without stand)5,3 kgVESA mounting interface100 x 100 mmWeight (without stand)5,3 kg	Viewing angle, horizontal		Common interface (CI) *	1
HDMI ports quantity*2TV tunerAnalogManagement featuresTuner type *AnalogElectronic Programme Guide (EPG)XAnalog signal format system *NTSC, PAL, SECAMOn Screen Display (OSD)Smart TVXOn Screen Display (OSD)Smart TV *XAuto power offInternet TV *XSleep timerAudioOn/Off timerNumber of speakers *2Sleep timerNumber of speakers *2On/Off timerAuto volume levellerWi-Fi *XWeight & dimensions223 mmNetworkXWeight (with stand)669 mmWi-Fi *XWeight (with stand)5.9 kgEthernet LAN *XWeight (with stand)669 mmDesignPepth (without stand)669 mmProduct colour *BlackWeight (without stand)658 mmVESA mounting *Meight (without stand)5.3 kgVers Amounting interface100 x 100 mmMeight (without stand)5.3 kg			Common interface Plus (CI+) *	×
Numer type * Analog Analog signal format system *Analog Analog signal format system *Analog Analog signal format system *Analog Analog signal format system *NTSC, PAL, SECAMElectronic Programme Guide (EPG)×Smart TVOn Screen Display (OSD)Smart TV *×Auto power offInternet TV *×Sleep timerAudio </td <td></td> <td>1366 x 768 pixels</td> <td>HDMI ports quantity *</td> <td>2</td>		1366 x 768 pixels	HDMI ports quantity *	2
Tuner type *     Analog       Analog signal format system *     NTSC, PAL, SECAM       Smart TV     On Screen Display (OSD)       Smart TV *     X       Smart TV *     X       Internet TV *     X       Audio     Vorgen Display (OSD)       Audio     Vorgen Display (OSD)       Audio     X       Number of speakers *     2       RMS rated power *     10 W       Auto volume leveller     ✓       Nutre tAuto     Y       Wift with stand)     223 mm       Peth (with stand)     5.9 kg       Wift (with stand)     5.9 kg       Ethernet LAN *     X       Product colour *     Black       VESA mounting *     ✓       Product colour *     Black       VESA mounting interface     100 x 100 mm	TV tuner		Management features	
Smart TVOn Screen Display (OSD)Smart TV*XPicture-in-PictureSmart TV*XAuto power offInternet TV*XSleep timerAudioOn/Off timerNumber of speakers*2Misci, rac, out offAuto volume leveller10 WMith stand)669 mmAuto volume levellerDepth (with stand)223 mmNetworkXWeight (with stand)5,9 kgWi-Fi*XWeight (with stand)669 mmDesignXWidth (with stand)669 mmProduct colour *BlackWeight (without stand)65,8 mmVESA mounting *Misci, without stand)5,3 kgPanel mounting interface100 x 100 mmMisci, without stand)5,3 kg		5	-	*
Smart TVPicture-in-PictureSmart TV *×Internet TV *×AudioSleep timerAudio·Number of speakers *2RMS rated power *10 WAuto volume leveller·Veight & dimensions223 mmNetwork·Wi-Fi *×Wi-Fi *×Muth (with stand)5.9 kgEthernet LAN *×Depth (with stand)5.9 kgEthernet LAN *×Product colour *BlackVESA mounting *·Panel mounting interface100 x 100 mm	Analog signal format system *	NTSC, PAL, SECAM	-	
Smart TV*       ×         Internet TV*       ×         Audio       Sleep timer         On/Off timer       ✓         Number of speakers*       2         RMS rated power*       10 W         Auto volume leveller       ✓         Network       ✓         Wi-Fi*       ×         Kethernet LAN*       ×         Design       ×         Product colour *       Black         VESA mounting *       ✓         Panel mounting interface       100 × 100 mm	Smart TV			
Internet TV*     X     Sleep timer     Import of speakers     Seep timer     Import of speakers       Number of speakers *     2     On/Off timer     Import of speakers       RMS rated power *     10 W     Weight & dimensions       Auto volume leveller     Import of speakers     669 mm       Network     Import of speakers     223 mm       Network     Import of speakers     472 mm       Wi-Fi *     X     Weight (with stand)     5,9 kg       Ethernet LAN *     X     Weight (without stand)     669 mm       Destign     Depth (with stand)     5,9 kg       Product colour *     Black     Weight (without stand)     65,8 mm       VESA mounting *     Import of speakers     Sight (without stand)     5,3 kg       Panel mounting interface     100 x 100 mm     0ther features	Smart TV *	×		
AudioOn/Off timerOn/Off timerNumber of speakers *2Weight & dimensionsRMS rated power *10 WWeight & dimensionsAuto volume leveller•Width (with stand)669 mmNetwork-Depth (with stand)223 mmWi-Fi *XWeight (with stand)472 mmEthernet LAN *XWeight (with stand)5,9 kgDestign-Depth (with out stand)669 mmProduct colour *BlackWeight (without stand)65,8 mmVESA mounting *•Weight (without stand)5,3 kgPanel mounting interface100 x 100 mmOther features	Internet TV *	×		
Number of speakers *2Weight & dimensionsRMS rated power *10 WWeight & dimensionsAuto volume leveller<	Audio			
RMS rated power *       10 W       Weight & dimensions         Auto volume leveller       ✓       Width (with stand)       669 mm         Network       Depth (with stand)       223 mm         Wi-Fi *       ×       Weight (with stand)       472 mm         Ethernet LAN *       ×       Width (without stand)       5,9 kg         Destign       Depth (without stand)       669 mm         Product colour *       Black       Width (without stand)       65,8 mm         VESA mounting *       ✓       Weight (without stand)       5,3 kg         Other features       Other features       Other features       Other features		2	On/Oπ timer	<i>•</i>
Auto volume leveller       Vidth (with stand)       669 mm         Network       Depth (with stand)       223 mm         Wi-Fi*       X       Height (with stand)       472 mm         Ethernet LAN*       X       Width (without stand)       669 mm         Design       X       Depth (with stand)       669 mm         Product colour*       Black       Depth (with stand)       65,8 mm         VESA mounting *       <			Weight & dimensions	
Network     Height (with stand)     472 mm       Wi-Fi*     X     Weight (with stand)     5,9 kg       Ethernet LAN*     X     Width (without stand)     669 mm       Design     Depth (without stand)     65,8 mm       Product colour*     Black     Weight (without stand)     405 mm       VESA mounting *     <	Auto volume leveller	1	Width (with stand)	669 mm
Wi-Fi*     ×     Weight (with stand)     472 mm       Wi-Fi*     ×     Weight (with stand)     5,9 kg       Ethernet LAN *     ×     Width (without stand)     669 mm       Design     Depth (without stand)     65,8 mm       Product colour *     Black     Weight (without stand)     405 mm       VESA mounting *     <	Notwork			
Ethernet LAN *     X     Width (without stand)     669 mm       Design     Depth (without stand)     65,8 mm       Product colour *     Black     Weight (without stand)     405 mm       VESA mounting *     ✓     Weight (without stand)     5,3 kg       Panel mounting interface     100 x 100 mm     Other features			-	
Design     Depth (without stand)     65,8 mm       Product colour *     Black     Height (without stand)     405 mm       VESA mounting *     ✓       Panel mounting interface     100 x 100 mm			-	
Design     Height (without stand)     405 mm       Product colour *     Black     Weight (without stand)     5,3 kg       VESA mounting *      Other features       Panel mounting interface     100 x 100 mm	Ethernet LAN *	×		
Product colour *     Black     Weight (without stand)     5,3 kg       VESA mounting *     ✓       Panel mounting interface     100 x 100 mm	Design			
VESA mounting *  Vesa mounting interface 100 x 100 mm Other features	Product colour *	Black		
Panel mounting interface 100 x 100 mm	VESA mounting *	<ul> <li>Image: A set of the set of the</li></ul>	-	
	Panel mounting interface	100 x 100 mm		
On/off switch	On/off switch	✓	3D	×

Publication date: 09-JUL-2025. Prints or copies of Information are only valid on the printed Publication date

Performance		Other features	
Teletext function	1	Built-in speaker(s)	1
Video formats supported	DIVX	Annual energy consumption	50 kWh
Audio formats supported	MP3	Energy efficiency class (old)	А

**Catalog Object Cloud** 



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.