

DELL PowerEdge R420 server 0 GB Rack (1U) Intel® Xeon® E5 V2 Family E5-2407V2 2,4 GHz 8 GB DDR3-SDRAM 550 W

Brand : DELL

Product family: PowerEdge

Article code: R420-1649

Product name : R420

DELL PowerEdge R420. Processor family: Intel® Xeon® E5 V2 Family, Processor frequency: 2,4 GHz, Processor model: E5-2407V2. Internal memory: 8 GB, Internal memory type: DDR3-SDRAM. Total storage capacity: 0 GB. Ethernet LAN, Cabling technology: 10/100/1000Base-T(X). Optical drive type: DVD-ROM. Power supply: 550 W, Redundant power supply (RPS) support. Chassis type: Rack (1U)





Processor

Processor		Expansion slots	
Processor manufacturer * Processor family *	Intel	PCI Express x8 (Gen 2.x) slots PCI Express x16 (Gen 3.x) slots	1 1
Processor model *	Intel® Xeon® E5 V2 Family E5-2407V2	PCI Express slots version	т 3.0
Processor frequency *	2.4 GHz		5.0
Processor boost frequency	2,4 GHz	Design	
Processor cores	4	Chassis type *	Rad
Processor cache	10 MB	Rack mounting	1
Motherboard chipset	Intel C600	Performance	
Memory channels supported by processor	Triple	Trusted Platform Module (TPM)	•
Number of processors installed	1	Software	
Thermal Design Power (TDP)	80 W	Operating system installed *	×
Processor cache type	Smart Cache		Wir
System bus rate	6,4 GT/s		Ser
Maximum number of SMP processors	2	Compatible operating systems *	
Processor socket	LGA 1356 (Socket B2)		Ser
Processor lithography	22 nm	Processor special features	
Processor threads	4	CPU configuration (max)	2
Processor operating modes	64-bit	Intel Rapid Storage Technology	×
Stepping	S1	Enhanced Intel SpeedStep	
FSB Parity	×	Technology	
Bus type	QPI	Intel® Identity Protection Technology (Intel® IPT)	×
Number of QPI links	1	Intel® Wireless Display (Intel® WiDi)	
Processor codename	Ivy Bridge EN		
Tcase	76 °C	Intel Virtualization Technology for	1
Maximum internal memory supported by processor	384 GB	Directed I/O (VT-d) Intel® Anti-Theft Technology	
Memory types supported by processor	DDR3-SDRAM	(Intel® AT) Intel® Hyper Threading Technology	×
Memory clock speeds supported by processor	800,1066,1333 MHz	(Intel® HT Technology)	×
Memory bandwidth supported by	32 GB/s	Intel® My WiFi Technology (Intel® MWT)	×
processor (max)		Intel [®] Turbo Boost Technology	×
ECC supported by processor	 Image: A set of the set of the	Intel® Quick Sync Video Technology	(X

Expansion slots	
PCI Express x8 (Gen 2.x) slots PCI Express x16 (Gen 3.x) slots PCI Express slots version	1 1 3.0
Design	
Chassis type *	Rack (1U)
Rack mounting	✓
Performance	
Trusted Platform Module (TPM)	✓
Software	
Operating system installed * Compatible operating systems *	× Windows Server 2012 Windows Server 2008 R2 SP1 (64-bit) Windows Small Business Server 2011 Novell SUSE Linux Enterprise Server Red Hat Enterprise Linux
Processor special features	
CPU configuration (max)	2
Intel Rapid Storage Technology	×
Enhanced Intel SpeedStep Technology	1
Intel® Identity Protection Technology (Intel® IPT)	×
Intel® Wireless Display (Intel® WiDi)	×
Intel Virtualization Technology for Directed I/O (VT-d)	 Image: A start of the start of
Intel® Anti-Theft Technology (Intel® AT)	×
Intel® Hyper Threading Technology (Intel® HT Technology)	×
Intel® My WiFi Technology (Intel® MWT)	×
Intel® Turbo Boost Technology	×

Processor		Processor special features	
Execute Disable Bit	1	Intel® InTru [™] 3D Technology	×
Idle States	1	Intel [®] Clear Video HD Technology (Intel [®] CVT HD)	×
Thermal Monitoring Technologies	1	Intel® Insider™	×
Maximum number of PCI Express lanes	24	Intel Flex Memory Access	x
PCI Express configurations	x4, x8, x16	Intel® Smart Cache	 ✓
Processor package size	45 x 42.5 mm	Intel® AES New Instructions (Intel®	
Supported instruction sets	AVX	AES-NI)	·
Processor code	SR1AK	Intel Trusted Execution Technology	1
Scalability	25	Intel Enhanced Halt State	 Image: A set of the set of the
Physical Address Extension (PAE)		Intel VT-x with Extended Page	1
Physical Address Extension (PAE)	46 bit	Tables (EPT)	
Embedded options available	X	Intel Demand Based Switching	
Processor series	Intel Xeon E5-2400 v2	Intel® Secure Key	
Conflict-Free processor	×	Intel TSX-NI	×
Intelligent Platform Management Interface (IPMI) support	 Image: A set of the set of the	Intel® OS Guard	<i>·</i>
Memory		Intel Clear Video Technology	×
Internal memory *	8 GB	Intel [®] Clear Video Technology for Mobile Internet Devices (Intel CVT	×
Internal memory type *	DDR3-SDRAM	for MID)	
Memory slots	12x DIMM	Intel 64	1
Memory clock speed	1600 MHz	Intel Identity Protection Technology version	0,00
Maximum internal memory *	384 GB	Intel Secure Key Technology version	1.00
Storage		Intel Virtualization Technology (VT-	_,
Maximum storage capacity *	16 TB	x)	•
Total storage capacity *	0 GB	Intel TSX-NI version	0,00
Number of HDDs supported	4	Intel Dual Display Capable Technology	×
Supported HDD sizes	3.5"	Intel FDI Technology	×
RAID support *	 Image: A start of the start of	Intel Fast Memory Access	×
Hot-Plug support		Processor ARK ID	75782
Optical drive type *	DVD-ROM	Power	
Internal drive bays	4 x 3.5"	Redundant power supply (RPS)	
Network	Prodeom E720	support *	
LAN controller	Broadcom 5720	Power supply *	550 W
Ethernet LAN Cabling technology	✓ 10/100/1000Base-T(X)	Sustainability	
Ethernet interface type	Gigabit Ethernet	Sustainability certificates	ENERGY STAR
Ports & interfaces		Other features	
Ethernet LAN (RJ-45) ports *	2	Display	LCD
LUTETHEL LAN (NJ-45) POILS *	2	Intel® Virtualization Technology (Intel® VT)	VT-d, VT-x

Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.