Philips V Line 223V7QHSB/00 LED display 54,6 cm (21.5") 1920 x 1080 pixels Full HD Black

Brand : Philips

Product family: V Line

Product code: 223V7QHSB/00

Product name : Full HD LCD monitor 223V7QHSB/00

223V7QHSB Full HD LCD monitor

Philips V Line 223V7QHSB/00 LED display 54,6 cm (21.5") 1920 x 1080 pixels Full HD Black:

A perfect all around display with stunning images that stretch from edge-to edge, made easy on the eyes, in a compact slim design.

Philips V Line 223V7QHSB/00. Display diagonal: 54,6 cm (21.5"), Display resolution: 1920 x 1080 pixels, HD type: Full HD, Display technology: LED, Response time: 4 ms, Native aspect ratio: 16:9, Viewing angle, horizontal: 178°, Viewing angle, vertical: 178°. VESA mounting. Product colour: Black





Display		Ergonomics	
DisplayDisplay diagonal *54,6 cm (21.5")Display resolution *1920 x 1080 pixelsHD type *Full HDNative aspect ratio *16:9Display technology *LEDPanel type *IPSBacklight typeW-LEDTouchscreen *×Display brightness (typical)250 cd/m²Response time *4 msScreen shape *Flat	1920 x 1080 pixels Full HD 16:9 LED IPS W-LED X 250 cd/m ² 4 ms Flat	Ergonomics Height adjustment * Tilt adjustment Tilt angle range On Screen Display (OSD) On Screen Display (OSD) languages Number of OSD languages Plug and Play	 × -5 - 20° ✓ Simplified Chinese, Traditional Chinese, Czech, German, Dutch, English, Spanish, Finnish, French, Greek, Hungarian, Italian, Japanese, Korean, Polish, Portuguese, Russian, Swedish, Turkish, Ukrainian 21 ✓
Supported graphics resolutions	1920 x 1080 (HD 1080)	LED indicators	Operation, Stand-by
Aspect ratio16:9Contrast ratio (typical) *1000:1Contrast ratio (dynamic)1000000:1Dynamic contrast ratio marketing nameSmartContrastMaximum refresh rate *60 HzViewing angle, horizontal178°Viewing angle, vertical16.78 million colours	1000:1 10000000:1 SmartContrast 60 Hz 178° 178°	Power Power consumption (typical) * Power consumption (standby) * Power consumption (off) AC input voltage AC input frequency European Product Registry for Energy Labelling (EPREL) code	13,09 W 0,5 W 0,5 W 100 - 240 V 50 - 60 Hz 421947
Pixel pitch Pixel density Horizontal scan range Vertical scan range Viewable size, horizontal Viewable size, vertical Digital horizontal frequency Digital vertical frequency Colour gamut standard 3D	0,248 x 0,248 mm 102 ppi 30 - 83 kHz 56 - 76 Hz 47,6 cm 26,8 cm 30 - 83 kHz 56 - 76 Hz sRGB X	Operational conditionsOperating temperature (T-T)Storage temperature (T-T)Operating relative humidity (H-H)Operating altitudeNon-operating altitudeWeight & dimensionsWidth (with stand)Depth (with stand)Height (with stand)Weight (with stand)Weight (with stand)Weight (with stand)Weight (with stand)	0 - 40 °C -20 - 60 °C 20 - 80% 0 - 3658 m 0 - 12192 m 490 mm 195 mm 368 mm 2,92 kg

Performance		Weight & dimensions	
NVIDIA G-SYNC *	×	Width (without stand)	490 mm
AMD FreeSync *	×	Depth (without stand)	45 mm
Sinkronisasi video komponen	Separate sync, Sync-on-green (SOG)	Height (without stand) Weight (without stand)	296 mm 2,56 kg
Flicker-free technology	 Image: A set of the set of the	Packaging data	
Low Blue Light technology	 Image: A set of the set of the	Package width	575 mm
Multimedia		Package depth	113 mm
Built-in speaker(s) *	×	Package height	440 mm
Built-in camera *	×	Package weight	4,23 kg
Design		Package type	Box
-	. Us as a	Packaging content	
Market positioning * Product colour *	Home Black	Stand included	✓
Detachable stand		Cables included	AC, VGA
Feet colour	• Black	Manual	 Image: A second s
	Diack	Sustainability	
Ports & interfaces		Sustainability certificates	EPEAT Gold, ENERGY STAR
Built-in USB hub *	×	Other features	
VGA (D-Sub) ports quantity	1	On/off switch	1
DVI port	X	TV tuner integrated	×
HDMI *	×	Recommended resolution	× 1920 x 1080 @ 60 Hz
HDMI ports quantity	1	Recyclable packaging material	100%
Audio input	×	Heavy metals free	Hg (mercury), Pb (lead)
Headphone out *	×	Energy efficiency class (old)	Α
HDCP	 Image: A set of the set of the	Compliance certificates	RoHS
Ergonomics			CU, SEMKO, cETLus,
VESA mounting *	1	Certification	TUV/ISO9241-307, WEEE, TCO Certified, CE Mark, FCC Class B,
VESA mounting interfaces	100 x 100 mm		ICES-003, RCM, UKRAINIAN, VCCI,
Cable lock slot *	 Image: A set of the set of the		CECP, TUV Cert. — blue light cut-off
Cable lock slot type	Kensington	Logistics data	
		Harmonized System (HS) code	85285210



8712581742782

Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.