

## Epson PowerLite Home Cinema 500 Standard throw projector 2600 ANSI lumens 3LCD SVGA (800x600) White

**Brand :** Epson

**Product code:** V11H584220

**Product name :** PowerLite Home Cinema 500

3LCD, 3-chip, 800 x 600, SVGA, 2600 lumens, 2.31kg

Epson PowerLite Home Cinema 500. Projector brightness: 2600 ANSI lumens, Projection technology: 3LCD, Projector native resolution: SVGA (800x600). Light source type: Lamp, Service life of light source: 4000 h, Service life of light source (economic mode): 5000 h. Focus: Manual, Focal length range: 16.7 - 16.7 mm, Aperture range (F-F): 1,44 - 1,44. Analog signal format system: NTSC, NTSC 4.43, PAL, PAL 60, PAL M, PAL N, SECAM, Supported graphics resolutions: 1024 x 768 (XGA), 1152 x 864 (XGA+), 1280 x 800 (WXGA), 1400 x 1050 (SXGA+), 640 x 480 (VGA). USB connector type: USB Type-A, USB Type-B



Projector		Ports & interfaces	
Supported aspect ratios	4:3, 16:9	USB connector type	USB Type-A, USB Type-B
Projection distance (wide)	0,76 - 8,89 m	Composite video in *	1
Projection distance (tele)	0,58 - 6,6 m	<b>Network</b>	
Projector brightness *	2600 ANSI lumens	Ethernet LAN *	✗
Projection technology *	3LCD	<b>Features</b>	
Projector native resolution *	SVGA (800x600)	Noise level (economic mode)	29 dB
Contrast ratio (typical) *	3000:1	Noise level *	37 dB
Native aspect ratio *	4:3	Plug and Play	✓
Keystone correction, horizontal	30°	<b>Multimedia</b>	
Keystone correction, vertical	30°	Built-in speaker(s) *	✓
Matrix type	3-panel (p-Si TFT active)	RMS rated power	2 W
White light output	2600 ANSI lumens	Number of built-in speakers	1
Colour light output	2600 ANSI lumens	<b>Design</b>	
Light source		Market positioning *	Home cinema
Light source type *	Lamp	Product type *	Standard throw projector
Service life of light source *	4000 h	Product colour *	White
Service life of light source (economic mode)	5000 h	Placement	Desktop, Ceiling
Lamp type	E-TORL	Cable lock slot	✓
Lamp power	200 W	Cable lock slot type	Kensington
Lens system		<b>Display</b>	
Focus *	Manual	Built-in display *	✗
Focal length range	16.7 - 16.7 mm	<b>Power</b>	
Aperture range (F-F)	1,44 - 1,44	Power source *	AC
Zoom ratio	1.35:1	Power consumption (typical) *	283 W
Digital zoom	1,35x	Power consumption (PowerSave)	234 W
Throw ratio	1.45 - 1.96:1	AC input voltage	100 - 240 V
Video		<b>Operational conditions</b>	
Analog signal format system *	NTSC, NTSC 4.43, PAL, PAL 60, PAL M, PAL N, SECAM	Operating temperature (T-T)	5 - 35 °C
Full HD *	✗	<b>Weight &amp; dimensions</b>	
Supported graphics resolutions	1024 x 768 (XGA), 1152 x 864 (XGA+), 1280 x 800 (WXGA), 1400 x 1050 (SXGA+), 640 x 480 (VGA)	Width	295 mm
		Depth	229 mm

Ports & interfaces		Weight & dimensions	
S-Video inputs quantity	1	Height	787 mm
USB 2.0 ports quantity	2	Weight *	2,31 kg
Audio (L/R) in *	1	Packaging content	
VGA (D-Sub) ports quantity *	1	Handheld remote control *	✓
HDMI ports quantity *	1	Remote control type	IR
		Batteries included	✓
		Quick start guide	✓
		Manual	✓
		AC adapter included	✓

## Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.