## ASUS K72JR-TY139V Intel® Core™ i3 i3-370M 43.9 cm (17.3") HD+ 4 GB DDR3-SDRAM 500 GB AMD Radeon HD 5470 Windows 7 Home Premium Brown

**Brand**: ASUS **Product code**: 90NXHA314J1891VL231

**Product name :** K72JR-TY139V

K72JR-TY139V - Intel Core i3-370M (2.40 GHz), 4096MB DDR3, 500GB SATA HDD, 5400 RPM, 17.3" LED HD+,  $1600 \times 900$ , 0.3MP, VGA, HDMI, 4x USB 2.0, Gigabit Ethernet, 802.11 b/g/n, Windows 7 Home Premium, 3.11kg, brown

ASUS K72JR-TY139V. Processor family: Intel® Core™ i3, Processor model: i3-370M, Processor frequency: 2.4 GHz. Display diagonal: 43.9 cm (17.3"), HD type: HD+, Display resolution: 1600 x 900 pixels. Internal memory: 4 GB, Internal memory type: DDR3-SDRAM. Total storage capacity: 500 GB, Optical drive type: DVD-RW. On-board graphics card model: Intel® HD Graphics, Discrete graphics card model: AMD Radeon HD 5470. Operating system installed: Windows 7 Home Premium. Product color: Brown. Weight: 3.11 kg





Design		Keyboard	
Product color *	Brown	Pointing device	Touchpad
Display		Numeric keypad *	✓
Display diagonal *	43.9 cm (17.3")	Keyboard layout	AZERTY
Display resolution *	1600 x 900 pixels	Software	
HD type	HD+	Operating system installed *	Windows 7 Home Premium
LED backlight	✓	Processor special features	
Native aspect ratio	16:9	Intel® Wireless Display (Intel®	
Processor		WiDi)	X
Processor manufacturer *	Intel	Intel® My WiFi Technology (Intel® MWT)	×
Processor family * Processor generation	Intel® Core™ i3 Intel® Core™ i3	Intel® Anti-Theft Technology (Intel® AT)	×
Processor model * Processor cores	i3-370M 2	Intel® Hyper Threading Technology (Intel® HT Technology)	•
Processor threads	4	Intel® Turbo Boost Technology	×
Processor frequency *	2.4 GHz	Enhanced Intel SpeedStep	/
System bus rate	2.5 GT/s	Technology	•
Processor cache	3 MB	Intel® Clear Video HD Technology (Intel® CVT HD)	<b>✓</b>
Processor cache type	Smart Cache	,	,
Processor socket	Socket 988	Intel Clear Video Technology	<b>7</b>
Processor lithography	32 nm	Intel® InTru™ 3D Technology	×
Processor operating modes	64-bit	Intel® Insider™	×
Processor series	Intel Core i3-300 Mobile Series	Intel® Quick Sync Video Technology	×
Processor codename	Arrandale	Intel Flex Memory Access	✓
Bus type	DMI	Intel® Smart Cache	<b>✓</b>
FSB Parity	×	Intel® AES New Instructions (Intel®	
Stepping	К0	AES-NI)	×
Thermal Design Power (TDP)	35 W	Intel Trusted Execution Technology	×
Tjunction	90 °C		

Processor		Processor special features	
Maximum number of PCI Express lanes	16	Intel Enhanced Halt State	✓
PCI Express slots version	2.0	Intel VT-x with Extended Page	<b>✓</b>
PCI Express configurations	1x16	Tables (EPT) Intel Demand Based Switching	×
Number of Processing Die	382 M	Intel® Clear Video Technology for	^
Transistors		Mobile Internet Devices (Intel CVT	✓
Processing Die size	81 mm²	for MID)	
CPU multiplier (bus/core ratio)	18	Intel 64	1
ECC supported by processor	×	Execute Disable Bit	✓
Memory		Idle States	✓
Internal memory *	4 GB	Thermal Monitoring Technologies	✓
Internal memory type	DDR3-SDRAM	Processor package size	rPGA 37.5x 37.5, BGA 34x28
Memory clock speed	1066 MHz	Supported instruction sets	SSE4.1, SSE4.2
Memory slots	2x SO-DIMM	Processor code	SLBUK
Maximum internal memory *	8 GB	Physical Address Extension (PAE)	7 26 hit
Storage		Physical Address Extension (PAE) CPU configuration (max)	36 bit 1
Total storage capacity *	500 GB	Embedded options available	X
Number of HDDs installed	1	Graphics & IMC lithography	45 nm
HDD interface	SATA 5400 RPM	Intel Virtualization Technology for	
HDD speed Optical drive type *	DVD-RW	Directed I/O (VT-d)	×
Card reader integrated	JVD-RVV ✓	Intel Virtualization Technology (VT-	✓
Compatible memory cards	Memory Stick (MS), MMC, SD	X)	
,	Memory Stick (MS), MMC, SD	Intel Dual Display Capable Technology	✓
Graphics	110 D 1 110 E 170	Intel FDI Technology	✓
Discrete graphics card model *	AMD Radeon HD 5470	Intel Rapid Storage Technology	×
On-board graphics card *	<b>✓</b>	Intel Fast Memory Access	<b>✓</b>
Discrete graphics card *	<b>✓</b>	Processor ARK ID	49020
On-board graphics card family	Intel® HD Graphics	Conflict-Free processor	×
On-board graphics card model * On-board graphics card base	Intel® HD Graphics	Battery	
frequency	500 MHz	Number of battery cells	6
On-board graphics card dynamic	667 MHz	Battery capacity	4400 mAh
frequency (max)		, , ,	1100 1111 111
Maximum graphics card memory	1.024 GB	Power	00.14
Audio		AC adapter power  AC adapter input voltage	90 W 100 - 240 V
Audio system	SRS PS	AC adapter output current	
Number of built-in speakers	2	Ac daupter output current	ΔΔ/Δ
C I			4.47 A 19 V
Speakers manufacturer	Altec Lansing	AC adapter output voltage	4.47 A 19 V
Speakers manufacturer  Camera		AC adapter output voltage DC-in jack	19 V
		AC adapter output voltage DC-in jack Security	19 V ✓
Camera	Altec Lansing	AC adapter output voltage DC-in jack Security Cable lock slot	19 V •
Camera Front camera resolution (numeric)	Altec Lansing	AC adapter output voltage DC-in jack  Security  Cable lock slot Cable lock slot type	19 V ✓
Camera Front camera resolution (numeric) Network	Altec Lansing 0.3 MP	AC adapter output voltage DC-in jack  Security  Cable lock slot Cable lock slot type  Weight & dimensions	19 V ✓ Kensington
Camera Front camera resolution (numeric) Network Wi-Fi	Altec Lansing  0.3 MP	AC adapter output voltage DC-in jack  Security  Cable lock slot Cable lock slot type  Weight & dimensions  Width	19 V  Kensington  420 mm
Camera Front camera resolution (numeric) Network Wi-Fi Networking features	O.3 MP  ✓ Gigabit Ethernet	AC adapter output voltage DC-in jack  Security  Cable lock slot Cable lock slot type  Weight & dimensions  Width Depth	19 V  ✓  Kensington  420 mm  281 mm
Camera Front camera resolution (numeric) Network Wi-Fi Networking features Bluetooth	O.3 MP  Gigabit Ethernet  X	AC adapter output voltage DC-in jack  Security  Cable lock slot Cable lock slot type  Weight & dimensions  Width Depth Height (front)	19 V  Kensington  420 mm 281 mm 3.5 cm
Camera Front camera resolution (numeric) Network Wi-Fi Networking features Bluetooth Cabling technology	O.3 MP  Gigabit Ethernet  X	AC adapter output voltage DC-in jack  Security  Cable lock slot Cable lock slot type  Weight & dimensions  Width Depth Height (front) Height (rear)	19 V  Kensington  420 mm 281 mm 3.5 cm 3.74 cm
Camera Front camera resolution (numeric) Network Wi-Fi Networking features Bluetooth Cabling technology Ports & interfaces	O.3 MP  Gigabit Ethernet  X  10/100/1000Base-T(X)	AC adapter output voltage DC-in jack  Security  Cable lock slot Cable lock slot type  Weight & dimensions  Width Depth Height (front) Height (rear) Weight *	19 V  Kensington  420 mm 281 mm 3.5 cm
Camera Front camera resolution (numeric) Network Wi-Fi Networking features Bluetooth Cabling technology Ports & interfaces USB 2.0 ports quantity *	O.3 MP  Gigabit Ethernet  X  10/100/1000Base-T(X)	AC adapter output voltage DC-in jack  Security  Cable lock slot Cable lock slot type  Weight & dimensions  Width Depth Height (front) Height (rear) Weight *  Packaging content	19 V  Kensington  420 mm 281 mm 3.5 cm 3.74 cm 3.11 kg
Camera Front camera resolution (numeric) Network Wi-Fi Networking features Bluetooth Cabling technology Ports & interfaces USB 2.0 ports quantity * Ethernet LAN (RJ-45) ports	Altec Lansing  0.3 MP  ✓ Gigabit Ethernet  × 10/100/1000Base-T(X)	AC adapter output voltage DC-in jack  Security  Cable lock slot Cable lock slot type  Weight & dimensions  Width Depth Height (front) Height (rear) Weight *	19 V  Kensington  420 mm 281 mm 3.5 cm 3.74 cm
Camera Front camera resolution (numeric) Network Wi-Fi Networking features Bluetooth Cabling technology Ports & interfaces USB 2.0 ports quantity * Ethernet LAN (RJ-45) ports HDMI ports quantity *	Altec Lansing  0.3 MP  ✓ Gigabit Ethernet  X 10/100/1000Base-T(X)  4 1	AC adapter output voltage DC-in jack  Security  Cable lock slot Cable lock slot type  Weight & dimensions  Width Depth Height (front) Height (rear) Weight *  Packaging content	19 V  Kensington  420 mm 281 mm 3.5 cm 3.74 cm 3.11 kg
Camera Front camera resolution (numeric) Network Wi-Fi Networking features Bluetooth Cabling technology Ports & interfaces USB 2.0 ports quantity * Ethernet LAN (RJ-45) ports HDMI ports quantity * DVI port	O.3 MP  Gigabit Ethernet  X 10/100/1000Base-T(X)  4 1 1	AC adapter output voltage DC-in jack  Security  Cable lock slot Cable lock slot type  Weight & dimensions  Width Depth Height (front) Height (rear) Weight *  Packaging content  AC adapter included *	19 V  Kensington  420 mm 281 mm 3.5 cm 3.74 cm 3.11 kg
Camera Front camera resolution (numeric) Network Wi-Fi Networking features Bluetooth Cabling technology Ports & interfaces USB 2.0 ports quantity * Ethernet LAN (RJ-45) ports HDMI ports quantity * DVI port VGA (D-Sub) ports quantity	O.3 MP  Gigabit Ethernet  X  10/100/1000Base-T(X)  4  1  1	AC adapter output voltage DC-in jack  Security  Cable lock slot Cable lock slot type  Weight & dimensions  Width Depth Height (front) Height (rear) Weight *  Packaging content  AC adapter included *  Other features	19 V  Kensington  420 mm 281 mm 3.5 cm 3.74 cm 3.11 kg
Camera Front camera resolution (numeric)  Network  Wi-Fi Networking features Bluetooth Cabling technology  Ports & interfaces  USB 2.0 ports quantity * Ethernet LAN (RJ-45) ports HDMI ports quantity * DVI port  VGA (D-Sub) ports quantity Headphone outputs	O.3 MP  Gigabit Ethernet  X 10/100/1000Base-T(X)  4 1 1 X 1	AC adapter output voltage DC-in jack  Security  Cable lock slot Cable lock slot type  Weight & dimensions  Width Depth Height (front) Height (rear) Weight *  Packaging content AC adapter included *  Other features  Wireless technology	19 V  Kensington  420 mm  281 mm  3.5 cm  3.74 cm  3.11 kg  Wi-Fi  X  AMD
Camera Front camera resolution (numeric)  Network  Wi-Fi Networking features Bluetooth Cabling technology  Ports & interfaces  USB 2.0 ports quantity * Ethernet LAN (RJ-45) ports HDMI ports quantity * DVI port  VGA (D-Sub) ports quantity Headphone outputs  S/PDIF out port	O.3 MP  Gigabit Ethernet  X 10/100/1000Base-T(X)  4 1 1 X 1	AC adapter output voltage DC-in jack  Security  Cable lock slot Cable lock slot type  Weight & dimensions  Width Depth Height (front) Height (rear) Weight *  Packaging content  AC adapter included *  Other features  Wireless technology Infrared data port	19 V  Kensington  420 mm  281 mm  3.5 cm  3.74 cm  3.11 kg  Wi-Fi  X

Ports & interfaces		Other features	
CardBus PCMCIA slot type	×	Compliance industry standards	IEEE 802.3, IEEE 802.3u, IEEE 802.3ab
SmartCard slot TV-out	×	TV-in port	<b>x</b>
Performance		Internal modem  TV tuner integrated	×
Motherboard chipset	Intel® HM55 Express		
Keyboard			
Keyboard key pitch	1.9 cm		

## **Catalog Object Cloud**



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.