

Fujitsu ESPRIMO Mobile V Series ESPRIMO Mobile V5535 Intel Pentium Mobile T2330 39,1 cm (15.4") 1 GB DDR2-SDRAM 120 GB MiRage 3+ Windows Vista Home Basic

Brand : Fujitsu Product family: ESPRIMO Product code:

Mobile V Series VFY:EM81V5535BC5DE/1

Product name: ESPRIMO

Mobile V5535

Esprimo Mobile V5535, CD T2330, 1x1GB, 120GB, 15.4" WXGA, DVD DL, Vista Home Basic, WLAN, incl. 1GB RAM

Fujitsu ESPRIMO Mobile V Series ESPRIMO Mobile V5535 Intel Pentium Mobile T2330 39,1 cm (15.4") 1 GB DDR2-SDRAM 120 GB MiRage 3+ Windows Vista Home Basic:

Your gateway to professional mobile working

ESPRIMO Mobile V Value Line is the versatile all-rounder professional notebook for the price-conscious, casual user. These notebooks strikes the balance between robust performance and mobility at very attractive price. A brilliant 15.4-inch widescreen plus ergonomic full-sized ensures maximum working comfort both on the road and in the office.

The products are constantly refreshed to ensure latest technology especially for small and medium enterprises. It features a built-in optical drive and, of course, modem, LAN and Wireless LAN is integrated for easy connectivity. Several models offer also embedded UMTS.





Display		Processor special features		
Display diagonal *	39,1 cm (15.4")	Intel® Wireless Display (Intel®	×	
Display resolution *	1280 x 800 pixels	WiDi)		
Native aspect ratio	16:10	Intel® My WiFi Technology (Intel® MWT)	×	
Processor		Intel® Anti-Theft Technology	×	
Processor manufacturer *	Intel	(Intel® AT)		
Processor family *	Intel Pentium Mobile	Intel® Hyper Threading Technology (Intel® HT Technology)	(Intel® HT Technology)	
Processor model *	T2330	Intel® Turbo Boost Technology	x	
Processor cores	2	•	^	
Processor threads	2	Enhanced Intel SpeedStep Technology	✓	
Processor frequency *	1,6 GHz	Intel® Clear Video HD Technology		
Processor cache	1 MB	(Intel® CVT HD)		
Processor cache type	L2	Intel Clear Video Technology	×	
Processor socket	Socket 478	Intel® InTru™ 3D Technology	×	
Processor front side bus	533 MHz	Intel® Insider™	×	
Processor lithography	65 nm	Intel® Quick Sync Video Technology		
Processor operating modes	64-bit	, ,	X	
Processor series	Intel Pentium T2000 Series for	Intel Flex Memory Access		
Processor codename	Mobile Merom	Intel® AES New Instructions (Intel® AES-NI)	×	
Bus type	FSB	Intel Trusted Execution Technology	×	
FSB Parity	×	Intel Enhanced Halt State	×	
Stepping	MO	Intel VT-x with Extended Page	V	
Thermal Design Power (TDP)	35 W	Tables (EPT)	×	
Tjunction	100 °C	Intel Demand Based Switching	×	
Number of Processing Die Transistors	291 M	Intel® Clear Video Technology for Mobile Internet Devices (Intel CVT X		
Processing Die size	143 mm²	for MID)		
CPU multiplier (bus/core ratio)	12	Intel 64	•	
ECC supported by processor	×	Execute Disable Bit	✓	
		Thermal Monitoring Technologies	×	

Memory		Processor special features	
Internal memory *	1 GB	Processor package size	35 x 35 mm
Internal memory type	DDR2-SDRAM	Processor code	SLA4K
Memory clock speed	667 MHz	Embedded options available	×
Memory layout (slots x size) Maximum internal memory *	1 x 1 GB 2 GB	Intel Virtualization Technology for Directed I/O (VT-d)	×
Storage		Intel Virtualization Technology (VT-x)	×
Total storage capacity *	120 GB	Intel Dual Display Capable	
Hard drive interface	SATA	Technology	×
Hard drive speed	5400 RPM	Intel FDI Technology	×
Optical drive type *	DVD Super Multi	Intel Rapid Storage Technology	×
Card reader integrated	×	Intel Fast Memory Access	×
Graphics		Processor ARK ID	32432
	MiDago 21	Conflict-Free processor	×
Discrete graphics card model *	MiRage 3+		
Discrete graphics card *	✓	Power	
Maximum graphics card memory	0,256 GB	AC adapter power	65 W
Audio		AC adapter input voltage	100 - 240 V
Audio system	Realtek ALC268	AC adapter output current	3,25 A
Number of built-in speakers	2	AC adapter output voltage	20 V
Camera		DC-in jack	✓
Front camera	x	Security	
Network		Cable lock slot	✓
Networking features	10/100/1000 Mbps	Cable lock slot type	Kensington
Networking type	WLAN	Password protection type	BIOS
Bluetooth	x	Operational conditions	
Ports & interfaces		Operating temperature (T-T) Operating relative humidity (H-H)	5 - 35 °C 20 - 85%
USB 2.0 ports quantity *	3		20 03 /0
Ethernet LAN (RJ-45) ports	1	Weight & dimensions	
		Width	360 mm
DVI port	×	B 11	200
DVI port VGA (D-Sub) ports quantity	X 1	Depth	260 mm
·		Height	39 mm
VGA (D-Sub) ports quantity	1	Height Weight *	
VGA (D-Sub) ports quantity Headphone outputs	1 1	Height Weight * Packaging content	39 mm
VGA (D-Sub) ports quantity Headphone outputs S/PDIF out port	1 1 X	Height Weight *	39 mm
VGA (D-Sub) ports quantity Headphone outputs S/PDIF out port Microphone in Line-in Docking connector	1 1 ×	Height Weight * Packaging content	39 mm 2,7 kg
VGA (D-Sub) ports quantity Headphone outputs S/PDIF out port Microphone in Line-in	1 1 × •	Height Weight * Packaging content AC adapter included *	39 mm 2,7 kg
VGA (D-Sub) ports quantity Headphone outputs S/PDIF out port Microphone in Line-in Docking connector	1 1 × •	Height Weight * Packaging content AC adapter included * Other features	39 mm 2,7 kg
VGA (D-Sub) ports quantity Headphone outputs S/PDIF out port Microphone in Line-in Docking connector ExpressCard slot	1 1 X ✓ ✓	Height Weight * Packaging content AC adapter included * Other features Infrared data port	39 mm 2,7 kg
VGA (D-Sub) ports quantity Headphone outputs S/PDIF out port Microphone in Line-in Docking connector ExpressCard slot CardBus PCMCIA slot type	1 1 X ✓ X X	Height Weight * Packaging content AC adapter included * Other features Infrared data port Type	39 mm 2,7 kg ✓ × PC
VGA (D-Sub) ports quantity Headphone outputs S/PDIF out port Microphone in Line-in Docking connector ExpressCard slot CardBus PCMCIA slot type SmartCard slot	1 1 X V V X X	Height Weight * Packaging content AC adapter included * Other features Infrared data port Type Display	39 mm 2,7 kg ✓ × PC LCD
VGA (D-Sub) ports quantity Headphone outputs S/PDIF out port Microphone in Line-in Docking connector ExpressCard slot CardBus PCMCIA slot type SmartCard slot Modem (RJ-11) ports	1 1 X V V X X X	Height Weight * Packaging content AC adapter included * Other features Infrared data port Type Display TV-in port HDD user password Internal modem	39 mm 2,7 kg ✓ X PC LCD X ✓
VGA (D-Sub) ports quantity Headphone outputs S/PDIF out port Microphone in Line-in Docking connector ExpressCard slot CardBus PCMCIA slot type SmartCard slot Modem (RJ-11) ports TV-out	1 1 X V V X X X	Height Weight * Packaging content AC adapter included * Other features Infrared data port Type Display TV-in port HDD user password Internal modem Modem speed	39 mm 2,7 kg
VGA (D-Sub) ports quantity Headphone outputs S/PDIF out port Microphone in Line-in Docking connector ExpressCard slot CardBus PCMCIA slot type SmartCard slot Modem (RJ-11) ports TV-out Keyboard Keyboard keystroke	1 1 X	Height Weight * Packaging content AC adapter included * Other features Infrared data port Type Display TV-in port HDD user password Internal modem	39 mm 2,7 kg ✓ X PC LCD X ✓
VGA (D-Sub) ports quantity Headphone outputs S/PDIF out port Microphone in Line-in Docking connector ExpressCard slot CardBus PCMCIA slot type SmartCard slot Modem (RJ-11) ports TV-out Keyboard	1 1 X / / X X 1 X	Height Weight * Packaging content AC adapter included * Other features Infrared data port Type Display TV-in port HDD user password Internal modem Modem speed	39 mm 2,7 kg
VGA (D-Sub) ports quantity Headphone outputs S/PDIF out port Microphone in Line-in Docking connector ExpressCard slot CardBus PCMCIA slot type SmartCard slot Modem (RJ-11) ports TV-out Keyboard Keyboard keystroke Keyboard key pitch	1 1 X	Height Weight * Packaging content AC adapter included * Other features Infrared data port Type Display TV-in port HDD user password Internal modem Modem speed	39 mm 2,7 kg
VGA (D-Sub) ports quantity Headphone outputs S/PDIF out port Microphone in Line-in Docking connector ExpressCard slot CardBus PCMCIA slot type SmartCard slot Modem (RJ-11) ports TV-out Keyboard Keyboard keystroke Keyboard key pitch Pointing device	1 1 X	Height Weight * Packaging content AC adapter included * Other features Infrared data port Type Display TV-in port HDD user password Internal modem Modem speed	39 mm 2,7 kg
VGA (D-Sub) ports quantity Headphone outputs S/PDIF out port Microphone in Line-in Docking connector ExpressCard slot CardBus PCMCIA slot type SmartCard slot Modem (RJ-11) ports TV-out Keyboard Keyboard Keyboard keystroke Keyboard key pitch Pointing device Keyboard number of keys	1 1 X	Height Weight * Packaging content AC adapter included * Other features Infrared data port Type Display TV-in port HDD user password Internal modem Modem speed	39 mm 2,7 kg
VGA (D-Sub) ports quantity Headphone outputs S/PDIF out port Microphone in Line-in Docking connector ExpressCard slot CardBus PCMCIA slot type SmartCard slot Modem (RJ-11) ports TV-out Keyboard Keyboard keystroke Keyboard key pitch Pointing device Keyboard number of keys Software	1 1 X	Height Weight * Packaging content AC adapter included * Other features Infrared data port Type Display TV-in port HDD user password Internal modem Modem speed	39 mm 2,7 kg

Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.