Fujitsu ESPRIMO Q910 + SL27T-1 Intel® Core™ i5 i5-3470T 4 GB DDR3-SDRAM 750 GB HDD Windows 7 Professional SFF PC Black

Brand : Fujitsu

Product family: ESPRIMO

Product code: LKN:Q0910P0002PL?S26361-K1369-V160



Intel Core i5-3470T (3M Cache, up to 3.60 GHz), 4GB DDR3 RAM, 750GB SATA, Intel HD Graphics 2500, DVD SuperMulti, Gigabit Ethernet, Windows 7 Professional + SL27T-1, 27" 1920x1080 LED Fujitsu ESPRIMO Q910 + SL27T-1. Processor frequency: 2,9 GHz, Processor family: Intel® Core™ i5, Processor model: i5-3470T. Internal memory: 4 GB, Internal memory type: DDR3-SDRAM, Memory clock speed: 1600 MHz. Total storage capacity: 750 GB, Storage media: HDD, Optical drive type: DVD Super Multi. On-board graphics card model: Intel® HD Graphics 2500. Operating system installed: Windows 7 Professional. Power supply: 65 W. Chassis type: SFF. Product type: PC. Product colour: Black





Processor		Software	
Processor manufacturer *	Intel	Operating system installed *	Windows 7 Professional
Processor family * Processor generation Processor model *	Intel® Core™ i5 3rd gen Intel® Core™ i5 i5-3470T	Processor special features	
		Intel® Wireless Display (Intel® WiDi)	1
Processor cores	2	Intel 64	1
Processor threads Processor boost frequency	4 3,6 GHz	Enhanced Intel SpeedStep Technology	1
Processor frequency *	2,9 GHz	Embedded options available	×
Processor socket	LGA 1155 (Socket H2)	Intel® InTru™ 3D Technology	1
Processor cache	3 MB Smart Cache 5 GT/s	Intel® Insider™	1
Processor cache type System bus rate		Intel® Clear Video HD Technology (Intel® CVT HD)	1
Bus type	DMI	Intel Clear Video Technology	×
FSB Parity Processor lithography	× 22 nm	Intel VT-x with Extended Page Tables (EPT)	1
Processor operating modes	64-bit	Intel TSX-NI	×
Processor series	Intel Core i5-3400 Desktop series	Idle States	1
Processor codename	lvy Bridge	Thermal Monitoring Technologies	1
Thermal Design Power (TDP) Tcase	35 W 65 °C	Intel® AES New Instructions (Intel®	·
PCI Express slots version	3.0	AES-NI)	
PCI Express configurations	2x8	Intel® Secure Key	
Number of processors installed	1	Intel Trusted Execution Technology	
CPU multiplier (bus/core ratio)	29	Execute Disable Bit	1
Maximum internal memory	32 GB	Intel FDI Technology	✓
supported by processor		Intel Flex Memory Access	×
Memory types supported by processor	DDR3 1333/1600	Intel Fast Memory Access	×
Memory clock speeds supported by processor	1333,1600 MHz	Intel Enhanced Halt State	1
		Intel Demand Based Switching	×
Memory bandwidth supported by processor (max)	25,6 GB/s	Intel [®] Clear Video Technology for Mobile Internet Devices (Intel CVT for MID)	×

Dresser			
Processor		Processor special features	27 E y 27 E mart
ECC supported by processor	×	Processor package size Supported instruction sets	37.5 x 37.5 mm AVX
Memory		CPU configuration (max)	1
Internal memory *	4 GB	Thermal solution specification	2011B
Maximum internal memory *	16 GB	Intel Virtualization Technology for	
Internal memory type	DDR3-SDRAM	Directed I/O (VT-d)	•
Memory slots Memory clock speed	2x SO-DIMM	Intel Identity Protection Technology version	1,00
Memory channels	1600 MHz Dual-channel	Intel Secure Key Technology version	1,00
•		Intel Virtualization Technology (VT-	
Storage	750 CP	x)	
Total storage capacity * Storage media *	750 GB HDD	Intel TSX-NI version Intel Dual Display Capable	0,00
Optical drive type *	DVD Super Multi	Technology	×
Number of hard drives installed	1	Intel Rapid Storage Technology	×
Hard drive capacity	750 GB	Processor ARK ID	65703
Hard drive interface	SATA II	Intel® Turbo Boost Technology	2.0
Hard drive speed	5400 RPM	Intel® Hyper Threading Technology	1
Hard drive size	2.5"	(Intel® HT Technology) Intel® Quick Sync Video Technology	
Card reader integrated	1	Intel® My WiFi Technology (Intel®	
Graphics		MWT)	×
On-board graphics card *	1	Intel® Identity Protection	1
Discrete graphics card model *	Not available	Technology (Intel® IPT)	
On-board graphics card family	Intel [®] HD Graphics	Intel® Anti-Theft Technology (Intel® AT)	 Image: A start of the start of
On-board graphics card model *	Intel [®] HD Graphics 2500	Conflict-Free processor	1
On-board graphics card memory	1,759 GB	Power	
On-board graphics card base frequency	650 MHz	Power supply *	65 W
On-board graphics card dynamic	1050 MHz	Power supply input voltage	100 - 240 V
frequency (max)	1050 MHz	Power supply input frequency	50 - 60 Hz
Number of displays supported (on- board graphics)	3	Operational conditions	
On-board graphics card ID	0x152	Operating temperature (T-T)	10 - 35 °C
Network			10-55 C
Ethernet LAN *	1	Certificates	D. LIC
Ethernet LAN data rates	10,100,1000 Mbit/s	Compliance certificates Certification	RoHS CE, FCC, cCSAus, WEEE
Cabling technology	10/100/1000Base-T(X)		CL, TCC, CCSAus, WELL
Wake-on-LAN ready	✓	Sustainability	
Ports & interfaces		Sustainability certificates	EPEAT Gold, ENERGY STAR
USB 2.0 ports quantity *	2	Weight & dimensions	
USB 3.2 Gen 1 (3.1 Gen 1) Type-A		Width *	185 mm
ports quantity *	4	Depth *	188 mm
DVI port	✓	Height * Weight *	54 mm
DisplayPorts quantity	1	5	1,6 kg
Ethernet LAN (RJ-45) ports	1	Display	
Microphone in	v	Display included *	<i>✓</i>
Headphone outputs	1	Display diagonal	68,6 cm (27")
Design		Display type	LED
Chassis type *	SFF	Display resolution Native aspect ratio	1920 x 1080 pixels 16:9
Placement supported	Horizontal/Vertical	Contrast ratio (typical)	1000:1
Number of 5.25" bays	1	Display number of colours	16.78 million colours
Cable lock slot	V Kanainatan	Touchscreen	×
Cable lock slot type Product colour *	Kensington Black	Display brightness	250 cd/m ²
		Viewing angle, horizontal	176°
Performance		Viewing angle, vertical	170°
		3 3 (
Motherboard chipset	Intel® Q77 Express	Other features	
Motherboard chipset Audio system	CX20642		1
Motherboard chipset		Other features	1 ✓

Other features

Cooling type

Active

Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.