Viewsonic PJD7720HD data projector Standard throw projector 3200 ANSI lumens DLP 1080p (1920x1080) Black

Brand : Viewsonic

Product name : PJD7720HD

Product code: PJD7720HD

- Full HD 1080p, 3200 Lumens
- Amazing color accuracy
- Enhanced 10W speaker
- Smart design
DLP, 3200 Lumens, 1920x1080, 16:9, 1.1x Zoom, HDMI MHL, RS-232, mini USB

Viewsonic PJD7720HD data projector Standard throw projector 3200 ANSI lumens DLP 1080p (1920x1080) Black:

The ViewSonic LightStream PJD7720HD Full HD projector features 3,200 lumens, Full HD 1920x1080 native resolution, an intuitive, user-friendly design and a sleek black chassis. Exclusive SuperColor technology offers a wide color gamut for beautiful image production in nearly any environment, while SonicExpert, ViewSonic's proprietary sound enhancement technology, powers a 10W speaker to deliver incredibly clear and audible sound. PortAll - a neatly designed and enclosed HDMI/MHL connection compartment, supports wireless HDMI dongles or MHL connectors, while a cable management hood eliminates unsightly cable clutter. With a smart design, the PJD7720HD is the ideal projector for high definition presentations.

Projector

Screen size compatibility *	762 - 7620 mm (30 - 300")
Projection distance	1 - 10,9 m
Contrast ratio (dynamic)	22000:1
Projector brightness *	3200 ANSI lumens
Projection technology *	DLP
Projector native resolution *	1080p (1920x1080)
Native aspect ratio *	16:9
Number of colours	1.073 billion colours
Vertical scan range	24 - 120 Hz

Light source

Light source type *	Lamp
Service life of light source *	4000 h
Service life of light source (economic mode)	10000 h
Lamp power	210 W

Lens system

Focus *	Manual
Zoom capability	✔
Zoom type	Manual
Zoom ratio	1.1:1
Optical zoom	1,1x
Throw ratio	1.49 - 1.64:1

Video

Full HD *	✔
Supported video modes	1080p
Video processing	30 bit

Ports & interfaces

HDMI version	1.4
Mini-USB 2.0 ports quantity	1
Headphone outputs	1
Microphone in	✔
Serial interface type *	RS-232
HDMI ports quantity *	2

Features

Noise level (economic mode)	30 dB
On Screen Display (OSD)	✔
Noise level *	35 dB
Certification	Mexico Energy test/Registration, EAC, TUV-S Mark (Argentina), India BIS, FCC, CE EMC, CB, CCC, RoHS, REACH, SVHC, WEE, ErP, Mexico NOM, cTUVus, RCM, PSB, KC

Multimedia

Built-in speaker(s) *	✔
RMS rated power	10 W

Design

Market positioning *	Presentation
Product type *	Standard throw projector
Product colour *	Black
Placement	Desktop
Cable lock slot	✔
Cable lock slot type	Kensington

Power

Power source *	AC
Power consumption (standby) *	0,5 W
Power consumption (max)	330 W
AC input voltage	100 - 240 V
AC input frequency	50 - 60 Hz

Operational conditions

Operating temperature (T-T)	0 - 40 °C
Operating relative humidity (H-H)	10 - 90%

Weight & dimensions

Width	316 mm
Depth	228 mm
Height	103,7 mm
Weight *	2,4 kg
Package width	410 mm

Ports & interfaces

DVI port *	✘
CardBus PCMCIA slot type	✘
Mobile High-Definition Link (MHL)	✔
AC (power) in	✔

Network

Ethernet LAN *	✘

Storage

Card reader integrated *	✘
Optical disc player type	Not included

Weight & dimensions

Package depth	225 mm
Package height	450 mm
Package weight	3,8 kg

Packaging content

Remote control included *	✔
Remote control type	IR
Cables included	AC
Quick start guide	✔

Other features

RS-232 ports	1

0766907845617

766907845617

Catalog Object Cloud