



Canon Digital IXUS 115 HS 1/2.3" Kamera kecil 12,1 MP CMOS 4000 x 3000 piksel Abu-abu

Brand : Canon

Product family: Digital IXUS

Product code: 4933B008

Product name : 115 HS

Canon Digital IXUS 115 HS. Jenis kamera: Kamera kecil, Megapiksel: 12,1 MP, Ukuran sensor gambar: 1/2.3", Tipe sensor: CMOS, Resolusi gambar maksimal: 4000 x 3000 piksel. Zoom optik: 4x, Pembesaran digital: 4x, Jangkauan panjang fokus: 5 - 20 mm. Tipe HD: Full HD, Resolusi video maksimal: 1920 x 1080 piksel. Diagonal layar: 7,62 cm (3"). PictBridge. Berat: 140 g. Warna produk: Abu-abu



Kualitas gambar		Layar	
Ukuran sensor gambar *	1/2.3"	Layar tampilan *	LCD
Jenis kamera *	Kamera kecil	Diagonal layar *	7,62 cm (3")
Megapiksel *	12,1 MP	Resolusi tampilan (angka)	230000 piksel
Tipe sensor *	CMOS	Bidang pandang	100 persen
Resolusi gambar maksimal *	4000 x 3000 piksel	Port & antarmuka	
Penyeimbang gambar *	✓	PictBridge *	✓
Rasio aspek pendukung	3:2, 16:9	Versi USB *	2.0
Sistem Lensa		Kamera	
Zoom optik *	4x	White balance *	Auto, Berawan, Mode kustom, Daylight, Pijar, Tungsten
Pembesaran digital *	4x	Mode scene *	Pantai, Kembang api, Potret, Potret diri, Salju, Di bawah air
Jangkauan panjang fokus	5 - 20 mm	Efek foto *	Hitam Putih, Film positif, Coklat tua, Warna kulit, Jelas
Struktur lensa (elemen/kelompok)	6/5	Playback kamera	Film, Gambar tunggal
Pembesaran kombinasi	16x	Mode multi-burst	✓
Mekanisme fokus		Histogram	✓
Fokus *	TTL	Pemroses gambar	DIGIC 4
Modus autofokus (AF) *	Auto Fokus berat tengah, Fokus Otomatis Berkelanjutan, Fokus Otomatis Tuggal	Desain	
Pelacak wajah	✓	Warna produk *	Abu-abu
Jarak fokus terdekat	0,03 m	Baterai	
Kunci autofokus (AF)	✓	Teknologi baterai *	Lithium-Ion (Li-Ion)
Sorotan bantuan autofokus (AF)	✓	Daya tahan baterai (standar CIPA)	230 bidik
Paparan cahaya		Jenis baterai	NB-4L
Sensitivitas ISO	100, 200, 400, 800, 1600, 3200, Auto	Persyaratan sistem	
Mode light exposure *	Auto	Kompatibilitas Mac	✓
Pengukuran cahaya *	Berat tengah, Bintik	Operational conditions	
Flash		Suhu pengoperasian (T-T)	0 - 40 °C
Modus lampu kilat *	Auto, Pedoman, Reduksi red-eye, Sinkronisasi lambat		

Flash		Operational conditions	
Kunci paparan cahaya lampu kilat	✓	Rentang kelembapan pengoperasian (H-H)	10 - 90 persen
Rentang lampu kilat (sudut lebar)	0,3 - 4 m	Berat dan dimensi	
Rentang lampu kilat (tele)	0,5 - 2 m		
Video			
Perekam video *	✓	Panjang	93,1 mm
Resolusi video maksimal *	1920 x 1080 piksel	Lebar	19,9 mm
Tipe HD *	Full HD	Tinggi	55,8 mm
Kecepatan bingkai JPEG bergerak	30 fpd	Berat	140 g
Sistem format sinyal analog	NTSC, PAL	Fitur lainnya	
Audio		Kemampuan video	✓
Mikrofon terpasang *	✓	Antarmuka	USB 2.0
Memori		Rentang bukaan (F-F)	2,8 - 5,9
Kartu memori yang kompatibel *	MMC, SD, SDHC, SDXC	Lampu kilat terpasang	✓
		Kecepatan rana kamera	1 - 1/1500 s
		Panjang fokal (setara film 35mm)	28 - 112 mm
		Sistem operasi yang kompatibel	Windows 7/Vista SP1-2/XP SP3; Mac OS X v10.5 - 10.6.
		Digital SLR	✗
		Jumlah port HDMI	1



8714574565477

Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.