

ASUS ROG Strix G15 G513QE-HN044 AMD Ryzen™ 7 5800H 39.6 cm (15.6") HD 16 GB DDR4-SDRAM 1 TB SSD NVIDIA GeForce RTX 3050 Ti Wi-Fi 6 (802.11ax)

ASUS

ROG

G513QE-HN044-GAMING

G513QE-HN044

ASUS ROG Strix G15 G513QE-HN044. AMD Ryzen™ 7, 5800H, 3.2 GHz. 39.6 cm (15.6"), HD, 1920 x 1080. 16 GB, DDR4-SDRAM. 1 TB, SSD. AMD Radeon Graphics, NVIDIA GeForce RTX 3050 Ti. Wi-Fi 6 (802.11ax).



ASUS ROG Strix G15 G513QE-HN044		ASUS ROG Strix G15 G513QE-HN044	
Color	Eclipse Grey	Processor	AMD Ryzen™ 7 5800H
Processor	AMD Ryzen™ 7 5800H	Graphics	AMD Radeon Graphics
Memory	16 GB	Display	39.6 cm (15.6")
Storage	1 TB	Resolution	1920 x 1080
Operating System	Windows 11	Refresh Rate	144 Hz
OS	2021	Panel Type	IPS
Display		Audio	
Screen Size	39.6 cm (15.6")	Speakers	2
Resolution	1920 x 1080	Power	1.5 W
Refresh Rate	144 Hz	Connectivity	Wi-Fi 6 (802.11ax)
Panel Type	IPS	Wi-Fi	Wi-Fi 6 (802.11ax)
Panel Technology	IPS	Bluetooth	Bluetooth 5.1
Panel Resolution	1920 x 1080	USB	USB 3.2 (3.1 Gen 1) Type-A
Panel Brightness	250 cd/m²	USB	USB 3.2 (3.1 Gen 1) Type-C
Panel Color Gamut	sRGB	LAN	LAN (RJ-45)
Panel Contrast Ratio	62.5%	HDMI	HDMI 2.0b
Panel Refresh Rate	144 Hz	DisplayPort	DisplayPort 1.4
Processor		Connectivity	
Processor	AMD	USB	USB 3.2 (3.1 Gen 1) Type-A
Processor	AMD Ryzen™ 7	USB	USB 3.2 (3.1 Gen 1) Type-C
Processor	AMD Ryzen 5000 Series	LAN	LAN (RJ-45)
Processor	5800H	HDMI	HDMI 2.0b
Processor	8	DisplayPort	DisplayPort 1.4
Processor	4.4 GHz	USB	USB 3.2 (3.1 Gen 1) Type-A
Processor	3.2 GHz	USB	USB 3.2 (3.1 Gen 1) Type-C
Processor	16 MB	LAN	LAN (RJ-45)
Graphics		Audio	
Graphics	NVIDIA GeForce RTX 3050 Ti	Speakers	2
Graphics	NVIDIA GeForce RTX 3050 Ti	Power	1.5 W

内存		存储	
内存 *	16 GB	固态硬盘 *	✗
内存类型	DDR4-SDRAM	固态硬盘接口	✓
内存频率	3200 MHz	固态硬盘容量	RGB
内存插槽	SO-DIMM		
内存数量	2x SO-DIMM		
内存品牌 *	32 GB	操作系统 *	✗
硬盘		电源	
固态硬盘 *	1 TB	电源类型	锂电池(Li-Ion)
固态硬盘 *	SSD	电源数量	4
SSD接口	1 TB	固态硬盘接口 *	56 Wh
固态硬盘SSD接口	1		
SSD接口兼容性	1 TB		
SSD接口兼容性	NVMe, PCI Express 3.0		
NVMe	✓		
SSD接口兼容性	M.2		
固态硬盘 *	✗		
显卡		接口	
显卡GPU接口	NVIDIA	AC接口	200 W
显卡接口兼容性 *	NVIDIA GeForce RTX 3050 Ti	AC接口	50 - 60 Hz
显卡接口兼容性	4 GB	AC接口	100 - 240 V
显卡接口兼容性	GDDR6	AC接口	10 A
显卡接口兼容性 *	✓	AC接口	20 V
显卡GPU接口	AMD	DC接口	✓
		USB接口	✓
		接口	
		接口	✓
		接口兼容性	BIOS, 接口
		接口	
		接口	354 mm
		接口	259 mm
		接口 (接口)	2.07 cm
		接口 (接口)	2.6 cm
		接口 *	2.1 kg

Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.