



Fujitsu ESPRIMO E900 + L22T-3 LED Intel® Core™ i3 i3-2100 2 GB DDR3-SDRAM 500 GB Windows 7 Professional SFF PC Crno

Brand : Fujitsu

Product family: ESPRIMO

Product code:
VFY:E0900PF021PL?L22T-3LED

Product name : E900 + L22T-3
LED

Fujitsu ESPRIMO E900 + L22T-3 LED. Takt procesora: 3,1 GHz, Porodica procesora: Intel® Core™ i3, Procesor: i3-2100. Interna memorija: 2 GB, Vrsta interne memorije: DDR3-SDRAM, Radni takt memorije: 1333 MHz. Ukupni prostor za podatke: 500 GB, Vrsta optičkog uređaja: DVD super-multifunkcionalni. Model instalirane grafičke kartice: Intel® HD Graphics 2000. Instalirani operativni sistem: Windows 7 Professional. Napajanje: 280 W. Tip kućišta: SFF. Tip proizvoda: PC. Težina: 10 kg. Boja proizvoda: Crno



Procesor		Performanse	
Proizvođač procesora *	Intel	Izlazni audio kanali	5.1 kanali
Porodica procesora *	Intel® Core™ i3	Tip zaštite lozinkom	BIOS
Generacija procesora	Intel® Core™ i3 druge generacije	Tip proizvoda *	PC
Procesor *	i3-2100	Softver	
Jezgra procesora	2	Instalirani operativni sistem *	Windows 7 Professional
Niti procesora	4	Kompatibilni operativni sistemi	Windows 7 Home Basic/Home Premium/Professional Windows Vista/XP openSUSE Linux
Takt procesora *	3,1 GHz	Softver za probu	Norton Internet Security
Podnožje procesora	LGA 1155 (Socket H2)	Dodatni softver	Nero Essentials S Fujitsu Recovery
Keš procesora	3 MB	Specijalne karakteristike procesora	
Tip keš memorije procesora	Smart Cache	Intel Wireless Display (WiDi) Technology	×
Brzina protoka systemske magistrale	5 GT/s	Intel 64	✓
Tip magistrale	DMI	Enhanced Intel SpeedStep tehnologija	✓
FSB Parity	×	Dostupne ugrađene opcije	×
Litografija procesora	32 nm	Intel® InTru™ 3D Technology	✓
Režimi rada procesora	64-bit	Intel® Insider™	✓
Serijski broj procesora	Intel Core i3-2100 Desktop Series	Intel Clear Video HD Technology	✓
Šifrovani naziv procesora	Sandy Bridge	Intel Clear Video tehnologija	×
Thermal Design Power (TDP)	35, 65	Intel VT-x with Extended Page Tables (EPT)	✓
Tcase temperatura	69,1 °C	Idle States	✓
Verzija PCI Express slotova	2.0	Tehnologije praćenja termalnih parametara	✓
Maksimalni broj PCI Express traka	16	Intel AES New Instructions	×
Broj procesora	1	Intel Trusted Execution Technology	×
Stepping	Q0	Execute Disable Bit	✓
Množilac procesora (odnos magistrala/jezgro)	31	Intel FDI Technology	✓
Maksimalna interna memorija koju podržava procesor	32 GB	Intel Flex Memory Access	✓
Tipovi memorije koje podržava procesor	DDR3-SDRAM	Intel Fast Memory Access	✓
Radni taktovi memorije koje podržava procesor	1066,1333 MHz		
Propusni opseg memorije koji podržava procesor (maks.)	21 GB/s		
ECC koji podržava procesor	×		

Memorija		Specijalne karakteristike procesora	
Interna memorija *	2 GB	Intel Enhanced Halt State	✓
Maksimalna veličina interne memorije *	32 GB	Intel Demand Based Switching	✗
Vrsta interne memorije	DDR3-SDRAM	Intel Clear Video Technology for MID	✗
Raspored memorije	1 x 2 GB	Veličina pakovanja procesora	37.5 x 37.5 mm
Memorijski slotovi	4x DIMM	Podržani instrukcijski setovi	AVX
Radni takt memorije	1333 MHz	Konfiguracija procesora (maks.)	1
Memorijski kanali	Dvokanalna	Intel tehnologija virtualizacije za usmereni ulaz/izlaz (VT-d)	✗
Medij za čuvanje podataka		Verzija Intel Identity Protection tehnologije	1,00
Ukupni prostor za podatke *	500 GB	Tehnologija Intel Virtualization (VT-x)	✓
Vrsta optičkog uređaja *	DVD super-multifunkcionalni	Intel Dual Display Capable Technology	✓
Broj instaliranih hard diskova	1	Intel Rapid Storage Technology	✗
Kapacitet hard diska	500 GB	ARK ID procesora	53422
Interfejs hard diska	SATA III	Intel® Turbo Boost Technology	✗
Brzina obrtaja hard diska	7200 RPM	Intel Hyper-Threading Technology	✓
Veličina čvrstog diska	3.5"	Intel® Quick Sync Video Technology	✓
Grafike		Intel My WiFi Technology	✗
Integrirana grafička kartica *	✓	Intel Identity Protection Technology	✓
Diskretna grafička kartica *	Nedostupni	Intel Anti-Theft Technology	✗
Porodice ugrađenih grafičkih adaptera	Intel® HD Graphics	Procesor ne sadrži materijale iz ratnih zona	✗
Model instalirane grafičke kartice *	Intel® HD Graphics 2000	Menadžment potrošnje	
Osnovna frekvencija integrisane grafičke kartice	850 MHz	Napajanje *	280 W
Dinamička frekvencija (maks.) integrisane grafičke kartice	1100 MHz	Ulazni napon napajanja	100 - 240 V
Broj podržanih ekrana (grafika na matičnoj ploči)	2	Ulazna frekvencija napajanja	50 - 60 Hz
ID integrisane grafičke kartice	0x102	Radni uslovi	
Maksimalna memorija grafičke kartice	1,759 GB	Raspon radne temperature (T-T)	10 - 35 °C
Mreža		Sertifikati	
Ethernet LAN *	✓	Sertifikati o usaglašenosti	RoHS
Brzina prenosa podataka na Ethernet LAN-u	10,100,1000 Mbit/s	Sertifikacija	TUV GS, CE, Nordic Swan, FCC B, cCSAus, WEEE
Tehnologija kabliranja	10/100/1000Base-T(X)	Održivost	
Wi-Fi *	✗	Sertifikati o održivosti	EPEAT Gold, ENERGY STAR
Wake-on-LAN spreman	✓	Težina i dimenzije	
Portovi i interfejsi		Širina *	340 mm
Broj USB 2.0 portova *	14	Dubina *	382 mm
DVI port	✓	Visina *	98 mm
Broj DisplayPortova	1	Težina *	10 kg
Broj PS/2 portova	2	Displej	
Broj Ethernet LAN (RJ-45) portova	1	Uključuje monitor *	✓
Priključak za mikrofoni/ulaz	✓	Dijagonala monitora	54,6 cm (21.5")
Izlazi za slušalice	1	Tip ekrana	LED
Audio izlaz	✓	Rezolucije ekrana	1920 x 1080 piksela
Audio ulaz	✓	Izvorni odnos širina/visina	16:9
Broj serijskih portova	1	Odnos kontrasta (tipski)	1000:1
Konektori za proširenja		Broj boja koje se mogu prikazati na monitoru	16,78 miliona boja
PCI Express x1 slotovi	1	Ekrani na dodir	✗
PCI Express x4 slotovi	1	Osvetljenost ekrana	250 cd/m²
PCI Express x16 slotovi	1	Ugao gledanja, horizontalno	170°
PCI slotovi	1	Ugao gledanja, vertikalno	160°
Dizajni		Ostale karakteristike	
Tip kućišta *	SFF	Displej	TFT
Broj ležišta od 3,5"	2	HDD korisnička lozinka	✓
Broj ležišta veličine 5,25"	1		

Dizajni		Ostale karakteristike	
Rupe za zaključavanje kablom	✓	Dimenzije pakovanja	340 x 382 x 98 mm
Vrste prereza za kablovsko zaključavanje	Kensington	Maksimalni broj SMP procesora	1
Boja proizvoda *	Crno	Ležišta za eksterne uređaje	1x 3.5", x 5.25"1
Performanse		Ležišta unutrašnjih pogona	1x 3.5"
Skup čipova matične ploče	Intel® Q67 Express	Porodice grafičkih adaptera	Intel
Zvučni sistem	HD		

Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.