



HP 6735b + Microsoft Office 2007 SBE MLK ZM-80 39,1 cm (15.4") 2 GB DDR2-SDRAM 160 GB AMD Mobility Radeon HD 3200 Windows Vista Business

Brand : HP

Product code: BKU212ET1

Product name : 6735b + Microsoft Office 2007 SBE
MLK

HP 6735b + Microsoft Office 2007 SBE MLK. Procesor: ZM-80, Takt procesora: 2,1 GHz. Dijagonala monitora: 39,1 cm (15.4"), Rezolucije ekrana: 1280 x 800 piksela. Interna memorija: 2 GB, Vrsta interne memorije: DDR2-SDRAM. Ukupni prostor za podatke: 160 GB. Diskretna grafička kartica: AMD Mobility Radeon HD 3200. Instalirani operativni sistem: Windows Vista Business. Težina: 2,7 kg



Dizajni		Portovi i interfejsi	
Zemlja porekla	Kina	Izlazi za slušalice	1
Displej		S/PDIF izlazni port	×
Dijagonala monitora *	39,1 cm (15.4")	Priključak za mikrofoni/ulaz	✓
Rezolucije ekrana *	1280 x 800 piksela	Priključak za uređaj	✓
Izvorni odnos širina/visina	16:10	Slot za Express karticu	✓
Procesor		Tip CardBus PCMCIA slot	×
Procesor *	ZM-80	SmartCard dlot	✓
Takt procesora *	2,1 GHz	Modemski (RJ-11) portovi	1
Keš procesora	2 MB	TV izlaz	×
Tip keš memorije procesora	L2	Broj serijskih portova	1
Memorija		Performanse	
Interna memorija *	2 GB	Skup čipova matične ploče	AMD M780G
Vrsta interne memorije	DDR2-SDRAM	Tastatura	
Memorijski slotovi	2x SO-DIMM	Uređaj za unos	Touchpad
Maksimalna veličina interne memorije *	8 GB	Softver	
Medij za čuvanje podataka		Instalirani operativni sistem *	Windows Vista Business
Ukupni prostor za podatke *	160 GB	Baterije	
Interfejs hard diska	SATA	Broj ćelija u bateriji	6
Brzina obrtaja hard diska	5400 RPM	Menadžment potrošnje	
Integrirani čitač kartica	✓	DC ulazni priključak	✓
Grafike		Sigurnost	
Diskretna grafička kartica *	AMD Mobility Radeon HD 3200	Rupe za zaključavanje kablom	✓
Diskretna grafička kartica *	✓	Vrste proreza za kablovsko zaključavanje	Kensington
Audio			
Zvučni sistem	Zvuk visoke definicije		

Audio		Težina i dimenzije	
Broj ugrađenih zvučnika	2	Širina	356 mm
Mreža		Dubina	265 mm
Mogućnosti mreže	Gigabit Ethernet	Visina (spreda)	3,3 cm
Bluetooth	✓	Težina *	2,7 kg
Bluetooth verzija	2.0+EDR	Ostale karakteristike	
Portovi i interfejsi		Tehnologija bežičnog umrežavanja	IEEE 802.11a/b/g/n
Broj USB 2.0 portova *	4	Infracrveni port	✗
Broj Ethernet LAN (RJ-45) portova	1	Tip	PC
DVI port	✗	Displej	LCD
Broj VGA portova	1	TV ulazni port	✗
Broj IEEE 1394/Firewire portova	1	Interni modem	✓
		Brzina modema	56 Kbit/s

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 19-JUL-2025. Prints or copies of Information are only valid on the printed Publication date