

**Fujitsu CELSIUS H920 Intel® Core™ i7 i7-3630QM 43.9 cm (17.3") Full HD 4 GB DDR3-SDRAM 500 GB HDD NVIDIA® Quadro® K3000M Windows 7 Professional**



ブランド : Fujitsu

シリーズ : CELSIUS

型番 : VFY:H9200W47A1IT

モデル : H920

Fujitsu CELSIUS H920. 画面: 液晶, 色: 黒. 画面: Intel® Core™ i7, 画面: i7-3630QM, 画面: 2.4 GHz. 画面(画面): 43.9 cm (17.3"), HD 画面: Full HD 画面, 画面: 1920 x 1080 画面. 画面: 4 GB, 画面: DDR3-SDRAM. 画面: 500 GB, 画面: HDD 画面, 画面: DVD±RW. 画面: Windows 7 Professional. 画面: 画面

| 画面           |                                  | 画面                                        |                        |
|--------------|----------------------------------|-------------------------------------------|------------------------|
| 画面 *         | 画面                               | 画面                                        | 画面                     |
| 画面 *         | 画面                               | 画面 *                                      | ✓                      |
| 画面 *         | 画面                               |                                           |                        |
| 画面           |                                  | 画面                                        |                        |
| 画面(画面) *     | 43.9 cm (17.3")                  | 画面                                        | 64画面                   |
| 画面 *         | 1920 x 1080 画面                   | 画面                                        | Windows 8 Pro          |
| 画面 *         | ×                                | 画面 *                                      | Windows 7 Professional |
| 画面           |                                  | 画面                                        |                        |
| HD 画面        | Full HD 画面                       | Intel®画面                                  | ✓                      |
| 画面           | 1,678画面                          | Intel®My WiFi 画面                          | ✓                      |
| LED 画面       | ✓                                | Intel®画面                                  | ×                      |
| 画面           | 16:9                             | Intel®画面 画面                               | ✓                      |
| 画面           | 220 cd/m²                        | Intel® 画面                                 | ×                      |
| 画面           | 300:1                            | Intel® Smart Response Technology (画面)     | ×                      |
| 画面           |                                  | Intel®画面                                  | ✓                      |
| 画面 *         | Intel                            | Intel®画面                                  | ✓                      |
| 画面 *         | Intel® Core™ i7                  | Intel®画面                                  | ✓                      |
| 画面           | 画面 Intel® Core™ i7画面             | Intel® Turbo Boost Technology (画面 2.0 画面) | 2.0                    |
| 画面 *         | i7-3630QM                        | Intel® Small Business Advantage (SBA)     | ×                      |
| 画面           | 4                                | Intel®画面                                  | ×                      |
| 画面           | 8                                | Intel®画面                                  | ×                      |
| 画面           | 3.4 GHz                          | Intel®画面                                  | ×                      |
| 画面 *         | 2.4 GHz                          | Intel®画面                                  | ×                      |
| 画面           | 5 GT/画面                          | Intel®画面                                  | ×                      |
| 画面           | 6 MB                             | 画面Intel® SpeedStep画面                      | ✓                      |
| 画面           | 画面                               | Intel®画面HD画面                              | ✓                      |
| 画面           | PGA988                           | Intel®Clear Video Technology              | ×                      |
| 画面           | 22 nm                            | 画面Intel® 画面                               | ×                      |
| 画面           | 64画面                             | Intel® InTru™ 3D 画面                       | ✓                      |
| 画面           | Intel Core i7-3600 Mobile series | Intel® Insider™                           | ✓                      |
| 画面codename画面 | Ivy Bridge                       | Intel® Quick Sync Video Technology (画面)   | ✓                      |
| 画面           | DMI                              |                                           |                        |
| FSB画面        | ×                                |                                           |                        |

| CPU                              |                         | Processor                                       |                        |
|----------------------------------|-------------------------|-------------------------------------------------|------------------------|
| Core                             | E1                      | Intel® Flex Processor                           | ✓                      |
| Thermal Design Power (TDP)       | 45 W                    | Intel® Processor                                | ✓                      |
| Operating Temperature            | 105 °C                  | Intel® Processor                                | ✓                      |
| PCI Express Lanes                | 16                      | Intel® Processor                                | ✗                      |
| PCI Express Version              | 3.0                     | Intel® Processor                                | ✓                      |
| PCI Express Config               | 1x16, 2x8, 1x8+2x4      | Intel® VT-x with Extended Processor Trace (EPT) | ✓                      |
| CPU Cores (Core/Thread)          | 24                      | Intel® Processor                                | ✗                      |
| Supports ECC Memory              | ✗                       | Intel® Processor                                | ✓                      |
| Memory                           |                         | Cache                                           |                        |
| Memory *                         | 4 GB                    | Intel® Processor                                | ✗                      |
| Memory Type                      | DDR3-SDRAM              | Intel® 64                                       | ✓                      |
| Memory Speed                     | 1600 MHz                | Cache                                           | ✓                      |
| Memory Config                    | 1 x 4 GB                | Cache                                           | ✓                      |
| Memory Type                      | 4x SO-DIMM              | Cache                                           | ✓                      |
| Memory Width (64-bit) *          | 16 GB                   | Cache                                           | 37.5 x 37.5 (rPGA988B) |
| Storage                          |                         | Features                                        |                        |
| Storage *                        | 500 GB                  | AVX                                             |                        |
| Storage Type *                   | HDD 5400 RPM            | SR0UX                                           |                        |
| Storage Config                   | 1                       | CPU Cores (Core)                                | 1                      |
| Storage Capacity                 | 500 GB                  | Cache                                           | ✗                      |
| Storage Interface                | SATA                    | Cache IMC                                       | 22 nm                  |
| Storage Speed                    | 7200 RPM                | Intel® Processor/Cache                          | ✗                      |
| Storage Format                   | 2.5"                    | Intel® Identity Protection Technology           | 1.00                   |
| Storage Type *                   | DVD±RW                  | Intel® Secure Key Technology                    | 1.00                   |
| Storage Status                   | ✓                       | Intel® Processor                                | ✓                      |
| Storage Config                   | SD, SDHC, SDXC          | Intel® Virtualization Technology (VT-x)         | ✓                      |
| GPU                              |                         | Intel® Processor                                |                        |
| GPU *                            | NVIDIA® Quadro® K3000M  | Intel® Processor                                | ✓                      |
| GPU *                            | ✓                       | Intel® Processor (RST)                          | ✗                      |
| GPU *                            | ✓                       | Intel® Processor                                | ✓                      |
| GPU Config                       | Intel® HD Graphics      | Cache ARK ID                                    | 71459                  |
| GPU Config *                     | Intel® HD Graphics 4000 | Cache                                           | ✓                      |
| GPU Config                       | 650 MHz                 | Cache 4G WiMAX                                  | ✓                      |
| GPU Config                       | 1150 MHz                | Power                                           |                        |
| GPU Config                       | 0x166                   | Power                                           | 210 W                  |
| Audio                            |                         | AC Config                                       | 50 - 60 Hz             |
| Audio                            | Realtek ALC269          | AC Config                                       | 100 - 240 V            |
| Audio Status                     | ✓                       | DC - in                                         | ✓                      |
| Display                          |                         | BIOS/UEFI                                       |                        |
| Display                          | ✓                       | BIOS                                            | ✓                      |
| Display Config                   | 2 MP                    | BIOS Config                                     | Kensington             |
| Display Config                   | 1600 x 1200             | BIOS                                            | ✓                      |
| Network                          |                         | BIOS                                            | BIOS, HDD              |
| Network LAN                      | ✓                       | Temperature                                     |                        |
| Network Config                   | 10,100,1000 Mbit/s      | Temperature T - T                               | 5 - 25 °C              |
| Network                          | ✗                       | Temperature (H-H)                               | 20 - 85%               |
| Ports                            |                         | RoHS                                            |                        |
| USB 2.0                          | 3                       | RoHS                                            | FCC, CE, GS            |
| USB 3.2 Gen 1 (3.1 Gen 1) Type-A | 1                       | FCC, CE, GS                                     |                        |
| USB *                            |                         |                                                 |                        |
| eSATA                            | 1                       |                                                 |                        |
| LAN RJ - 45                      | 1                       |                                                 |                        |
| DisplayPort                      | 1                       |                                                 |                        |
| DVI                              | ✗                       |                                                 |                        |
| VGA D-SUB                        | 1                       |                                                 |                        |
| Display                          | 1                       |                                                 |                        |

|                |             |             |         |
|----------------|-------------|-------------|---------|
| 無線LAN          |             | 無線LAN       |         |
| S / PDIF       | ×           | EPEAT Gold, |         |
|                | ✓           |             |         |
|                | ×           |             |         |
| ExpressCard    | ✓           |             | 417 mm  |
| CardBus PCMCIA | ×           |             | 287 mm  |
| SmartCard      | ✓           |             | 33 mm   |
|                |             |             | 4.25 kg |
| CPU            |             | CPU         |         |
|                | Intel® QM77 |             | ×       |

## Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.